

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ022620\
 Data File : PQ046611.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Feb 2020 17:57
 Operator : AJ\MA
 Sample : L1678-01
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 VNJ-241

Manual Integrations
 APPROVED

Sohil
 2/27/2020 9:04:03 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Feb 27 03:28:17 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ022120.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Feb 21 13:47:31 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.181	4.329	378.1E6	203.2E6	24.884	26.720
2) SA Decachlor...	11.313	9.750	124.9E6	113.8E6	15.338	16.423m

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ022620\
Data File : PQ046611.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Feb 2020 17:57
Operator : AJ\MA
Sample : L1678-01
Misc :
ALS Vial : 25 Sample Multiplier: 1



Instrument :
ECD_Q
ClientSampleId :
VNJ-241


Manual Integrations
APPROVED

Sohil
2/27/2020 9:04:03 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Feb 27 03:28:17 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ022120.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Feb 21 13:47:31 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 5.181 min
Delta R.T.: -0.004 min
Response: 378091666
Conc: 24.88 ng/ml

Instrument :
ECD_Q
ClientSampleId :
VNJ-241


Manual Integrations
APPROVED

Sohil
2/27/2020 9:04:03 AM




#1 Tetrachloro-m-xylene

R.T.: 4.329 min
Delta R.T.: -0.004 min
Response: 203166850
Conc: 26.72 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.313 min
Delta R.T.: -0.003 min
Response: 124863028
Conc: 15.34 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.750 min
Delta R.T.: -0.004 min
Response: 113757921
Conc: 16.42 ng/ml m