

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ040220\
 Data File : PQ047240.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Apr 2020 14:51
 Operator : AJ\MA
 Sample : L2097-12
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 40772

Manual Integrations
 APPROVED

Sohil
 4/3/2020 3:23:55 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 03 05:46:14 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ033020.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Mar 30 14:41:30 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.109	4.267	270.2E6	45493522	14.947m	18.906m#
2) SA Decachlor...	11.182	9.650	82895991	25158108	9.779	10.753

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ040220\
Data File : PQ047240.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Apr 2020 14:51
Operator : AJ\MA
Sample : L2097-12
Misc :
ALS Vial : 17 Sample Multiplier: 1



Instrument :
ECD_Q
ClientSampleId :
40772


Manual Integrations
APPROVED

Sohil
4/3/2020 3:23:55 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 03 05:46:14 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ033020.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Mar 30 14:41:30 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 5.109 min
Delta R.T.: 0.001 min
Response: 270230275
Conc: 14.95 ng/ml m

Instrument :
ECD_Q
ClientSampleId :
40772


Manual Integrations
APPROVED

Sohil
4/3/2020 3:23:55 PM




#1 Tetrachloro-m-xylene

R.T.: 4.267 min
Delta R.T.: 0.002 min
Response: 45493522
Conc: 18.91 ng/ml m



#2 Decachlorobiphenyl

R.T.: 11.182 min
Delta R.T.: 0.001 min
Response: 82895991
Conc: 9.78 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.650 min
Delta R.T.: -0.001 min
Response: 25158108
Conc: 10.75 ng/ml