

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ052820\
 Data File : PQ047910.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2020 16:08
 Operator : AJ\MA
 Sample : L2773-13
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 NM4-COMP-2020-0-6

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 29 16:54:45 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ052720.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 27 17:33:08 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.320	4.298	124.7E6	56878426	17.446	17.045
2) SA Decachlor...	11.616	9.677	79264406	37127337	11.098	10.266

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ052820\
Data File : PQ047910.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2020 16:08
Operator : AJ\MA
Sample : L2773-13
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
NM4-COMP-2020-0-6

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 29 16:54:45 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ052720.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed May 27 17:33:08 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.320 min
Delta R.T.: -0.004 min
Response: 124659909
Conc: 17.45 ng/ml

Instrument :
ECD_Q
ClientSampleId :
NM4-COMP-2020-0-6




#1 Tetrachloro-m-xylene

R.T.: 4.298 min
Delta R.T.: 0.000 min
Response: 56878426
Conc: 17.04 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.616 min
Delta R.T.: -0.006 min
Response: 79264406
Conc: 11.10 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.677 min
Delta R.T.: -0.002 min
Response: 37127337
Conc: 10.27 ng/ml