

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ061020\
 Data File : PQ048288.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jun 2020 19:34
 Operator : AJ\MA
 Sample : L2938-09 10X
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 ECD_Q
 ClientSampleId :
 W00SPK-010-0004

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 11 00:47:13 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ060920.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 10 03:52:33 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.298	4.290	20010975	8163853	2.342	1.977
2) SA Decachlor...	11.575	9.661	17137736	8792027	1.848	1.964

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Data\PQ061020\
Data File : PQ048288.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Jun 2020 19:34
Operator : AJ\MA
Sample : L2938-09 10X
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
ECD_Q
ClientSampleId :
W00SPK-010-0004

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 11 00:47:13 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_Q\Method\PQ060920.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 10 03:52:33 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 5.298 min
Delta R.T.: -0.006 min
Response: 20010975
Conc: 2.34 ng/ml

Instrument :
ECD_Q
ClientSampleId :
W00SPK-010-0004




#1 Tetrachloro-m-xylene

R.T.: 4.290 min
Delta R.T.: 0.000 min
Response: 8163853
Conc: 1.98 ng/ml



#2 Decachlorobiphenyl

R.T.: 11.575 min
Delta R.T.: -0.011 min
Response: 17137736
Conc: 1.85 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.661 min
Delta R.T.: -0.005 min
Response: 8792027
Conc: 1.96 ng/ml