

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR012624\
 Data File : PR065211.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Jan 2024 18:27
 Operator : AJ\MA
 Sample : P1187-07
 Misc : AR1242 LOD 25 PPB
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jan 26 02:22:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR011924.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Jan 19 20:49:45 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.701	3.003	114.5E6	106.0E6	19.181	19.370
2)	SA Decachlor...	9.738	8.374	85445850	91678669	21.364	19.371
Target Compounds							
3)	L1 AR-1016-1	4.943	4.149	3882801	3353986	21.906	18.469
4)	L1 AR-1016-2	4.964	4.168	5306423	4368790	20.354	17.670
5)	L1 AR-1016-3	5.029	4.351	3964089	2573064	23.718	18.977
6)	L1 AR-1016-4	5.133	4.402	2880640	2036353	21.483	19.445
7)	L1 AR-1016-5	5.454	4.625	2787217	2749859	20.642	19.711
8)	L2 AR-1221-1	3.919	3.232	1284507	327661	17.897	5.291 #
9)	L2 AR-1221-2	4.017	3.314	2751030	1726617	52.477	36.201 #
10)	L2 AR-1221-3	4.095	3.401	2391450	2132853	15.565	15.441
11)	L3 AR-1232-1	4.095	3.401	2391450	2132853	17.693	17.809
12)	L3 AR-1232-2	4.652	4.168	3628499	4368790	47.099	35.759
13)	L3 AR-1232-3	4.964	4.351	5306423	2573064	41.613	38.682
14)	L3 AR-1232-4	5.133	4.445	2880640	2561513	43.948	44.735
15)	L3 AR-1232-5	5.241	4.625	2356209	2749859	48.716	43.140
16)	L4 AR-1242-1	4.943	4.149	3882801	3353986	27.161	22.951
17)	L4 AR-1242-2	4.964	4.168	5306423	4368790	25.198	21.901
18)	L4 AR-1242-3	5.029	4.351	3964089	2573064	29.270	23.499
19)	L4 AR-1242-4	5.133	4.445	2880640	2561513	26.510	24.399
20)	L4 AR-1242-5	5.934	5.004	3166686	3356405	27.994	24.858
21)	L5 AR-1248-1	4.943	4.149	3882801	3353986	36.494	31.049
22)	L5 AR-1248-2	5.241	4.402	2356209	2036353	15.164	14.061
23)	L5 AR-1248-3	5.454	4.445	2787217	2561513	15.609	16.553
24)	L5 AR-1248-4	5.894	4.625	2820833	2749859	14.879	14.684
25)	L5 AR-1248-5	5.934	5.047	3166686	3191674	16.619	17.148
26)	L6 AR-1254-1	5.866	5.004	3229851	3356405	15.770	11.519 #
27)	L6 AR-1254-2	6.103	5.166	2774053	1255450	8.900	4.956 #
28)	L6 AR-1254-3	6.503	5.596	1703729	1759097	5.326	4.299
29)	L6 AR-1254-4	6.811	5.848	1631209	1512181	7.119	5.890
30)	L6 AR-1254-5	7.281	6.300	1330218	726807	5.352	1.983 #
31)	L7 AR-1260-1	6.687	5.750	728152	1508913	2.897	5.286 #
32)	L7 AR-1260-2	6.949f	5.948	125878	500987	0.438	1.445 #
33)	L7 AR-1260-3	0.000	6.110	0	4966772	N.D.	15.288 #
34)	L7 AR-1260-4	7.601	0.000	1851071	0	7.844	N.D. #
35)	L7 AR-1260-5	7.961	6.898	238923	206267	0.543	0.334 #
36)	L8 AR-1262-1	0.000	6.381f	0	202379	N.D.	1.128 #
37)	L8 AR-1262-2	7.961	0.000	238923	0	0.422	N.D. #
38)	L8 AR-1262-3	8.290	7.210	115460	471845	0.303	1.665 #
39)	L8 AR-1262-4	8.360	7.273	238169	862852	0.813	1.498 #
40)	L8 AR-1262-5	0.000	7.823	0	989898	N.D.	3.803 #
41)	L9 AR-1268-1	8.290f	7.210	115460	471845	0.190	0.595 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR012624\
Data File : PR065211.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jan 2024 18:27
Operator : AJ\MA
Sample : P1187-07
Misc : AR1242 LOD 25 PPB
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 26 02:22:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR011924.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 19 20:49:45 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.360	7.273	238169	862852	0.435	1.159 #
43) L9	AR-1268-3	8.587	7.497	952542	3209613	2.008	5.067 #
44) L9	AR-1268-4	0.000	7.823	0	989898	N.D.	3.774 #
45) L9	AR-1268-5	9.414	8.115	909510	1206950	0.624	0.630



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR012624\
Data File : PR065211.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Jan 2024 18:27
Operator : AJ\MA
Sample : P1187-07
Misc : AR1242 LOD 25 PPB
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jan 26 02:22:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR011924.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Jan 19 20:49:45 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.701 min
Delta R.T.: -0.002 min
Response: 114495444
Conc: 19.18 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#1 Tetrachloro-m-xylene

R.T.: 3.003 min
Delta R.T.: 0.000 min
Response: 105950173
Conc: 19.37 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.738 min
Delta R.T.: -0.004 min
Response: 85445850
Conc: 21.36 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.374 min
Delta R.T.: -0.007 min
Response: 91678669
Conc: 19.37 ng/ml



#3 AR-1016-1


R.T.: 4.943 min
Delta R.T.: -0.001 min
Response: 3882801
Conc: 21.91 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#3 AR-1016-1

R.T.: 4.149 min
Delta R.T.: -0.003 min
Response: 3353986
Conc: 18.47 ng/ml




#4 AR-1016-2

R.T.: 4.964 min
Delta R.T.: -0.002 min
Response: 5306423
Conc: 20.35 ng/ml



#4 AR-1016-2


R.T.: 4.168 min
Delta R.T.: -0.003 min
Response: 4368790
Conc: 17.67 ng/ml



#5 AR-1016-3


R.T.: 5.029 min
Delta R.T.: -0.002 min
Response: 3964089
Conc: 23.72 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#5 AR-1016-3

R.T.: 4.351 min
Delta R.T.: -0.003 min
Response: 2573064
Conc: 18.98 ng/ml




#6 AR-1016-4

R.T.: 5.133 min
Delta R.T.: -0.003 min
Response: 2880640
Conc: 21.48 ng/ml



#6 AR-1016-4


R.T.: 4.402 min
Delta R.T.: -0.003 min
Response: 2036353
Conc: 19.44 ng/ml



#7 AR-1016-5


R.T.: 5.454 min
Delta R.T.: -0.002 min
Response: 2787217
Conc: 20.64 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#7 AR-1016-5

R.T.: 4.625 min
Delta R.T.: -0.003 min
Response: 2749859
Conc: 19.71 ng/ml




#8 AR-1221-1

R.T.: 3.919 min
Delta R.T.: -0.009 min
Response: 1284507
Conc: 17.90 ng/ml



#8 AR-1221-1


R.T.: 3.232 min
Delta R.T.: -0.003 min
Response: 327661
Conc: 5.29 ng/ml



#9 AR-1221-2


R.T.: 4.017 min
Delta R.T.: 0.000 min
Response: 2751030
Conc: 52.48 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#9 AR-1221-2

R.T.: 3.314 min
Delta R.T.: -0.009 min
Response: 1726617
Conc: 36.20 ng/ml




#10 AR-1221-3

R.T.: 4.095 min
Delta R.T.: -0.002 min
Response: 2391450
Conc: 15.57 ng/ml



#10 AR-1221-3


R.T.: 3.401 min
Delta R.T.: -0.002 min
Response: 2132853
Conc: 15.44 ng/ml



#11 AR-1232-1


R.T.: 4.095 min
Delta R.T.: -0.001 min
Response: 2391450
Conc: 17.69 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#11 AR-1232-1

R.T.: 3.401 min
Delta R.T.: -0.002 min
Response: 2132853
Conc: 17.81 ng/ml




#12 AR-1232-2

R.T.: 4.652 min
Delta R.T.: -0.002 min
Response: 3628499
Conc: 47.10 ng/ml



#12 AR-1232-2


R.T.: 4.168 min
Delta R.T.: -0.003 min
Response: 4368790
Conc: 35.76 ng/ml



#13 AR-1232-3


R.T.: 4.964 min
Delta R.T.: -0.002 min
Response: 5306423
Conc: 41.61 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#13 AR-1232-3

R.T.: 4.351 min
Delta R.T.: -0.003 min
Response: 2573064
Conc: 38.68 ng/ml




#14 AR-1232-4

R.T.: 5.133 min
Delta R.T.: -0.002 min
Response: 2880640
Conc: 43.95 ng/ml



#14 AR-1232-4


R.T.: 4.445 min
Delta R.T.: -0.003 min
Response: 2561513
Conc: 44.73 ng/ml



#15 AR-1232-5


R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 2356209
Conc: 48.72 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#15 AR-1232-5

R.T.: 4.625 min
Delta R.T.: -0.003 min
Response: 2749859
Conc: 43.14 ng/ml




#16 AR-1242-1

R.T.: 4.943 min
Delta R.T.: 0.000 min
Response: 3882801
Conc: 27.16 ng/ml



#16 AR-1242-1


R.T.: 4.149 min
Delta R.T.: -0.002 min
Response: 3353986
Conc: 22.95 ng/ml



#17 AR-1242-2


R.T.: 4.964 min
Delta R.T.: -0.002 min
Response: 5306423
Conc: 25.20 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#17 AR-1242-2

R.T.: 4.168 min
Delta R.T.: -0.003 min
Response: 4368790
Conc: 21.90 ng/ml




#18 AR-1242-3

R.T.: 5.029 min
Delta R.T.: -0.002 min
Response: 3964089
Conc: 29.27 ng/ml



#18 AR-1242-3


R.T.: 4.351 min
Delta R.T.: -0.003 min
Response: 2573064
Conc: 23.50 ng/ml



#19 AR-1242-4


R.T.: 5.133 min
Delta R.T.: -0.002 min
Response: 2880640
Conc: 26.51 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#19 AR-1242-4

R.T.: 4.445 min
Delta R.T.: -0.003 min
Response: 2561513
Conc: 24.40 ng/ml




#20 AR-1242-5

R.T.: 5.934 min
Delta R.T.: -0.001 min
Response: 3166686
Conc: 27.99 ng/ml



#20 AR-1242-5


R.T.: 5.004 min
Delta R.T.: -0.005 min
Response: 3356405
Conc: 24.86 ng/ml



#21 AR-1248-1


R.T.: 4.943 min
Delta R.T.: 0.000 min
Response: 3882801
Conc: 36.49 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#21 AR-1248-1

R.T.: 4.149 min
Delta R.T.: -0.003 min
Response: 3353986
Conc: 31.05 ng/ml




#22 AR-1248-2

R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 2356209
Conc: 15.16 ng/ml



#22 AR-1248-2


R.T.: 4.402 min
Delta R.T.: -0.003 min
Response: 2036353
Conc: 14.06 ng/ml



#23 AR-1248-3


R.T.: 5.454 min
Delta R.T.: 0.000 min
Response: 2787217
Conc: 15.61 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#23 AR-1248-3

R.T.: 4.445 min
Delta R.T.: -0.003 min
Response: 2561513
Conc: 16.55 ng/ml




#24 AR-1248-4

R.T.: 5.894 min
Delta R.T.: -0.001 min
Response: 2820833
Conc: 14.88 ng/ml



#24 AR-1248-4


R.T.: 4.625 min
Delta R.T.: -0.003 min
Response: 2749859
Conc: 14.68 ng/ml



#25 AR-1248-5


R.T.: 5.934 min
Delta R.T.: -0.001 min
Response: 3166686
Conc: 16.62 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#25 AR-1248-5

R.T.: 5.047 min
Delta R.T.: -0.004 min
Response: 3191674
Conc: 17.15 ng/ml




#26 AR-1254-1

R.T.: 5.866 min
Delta R.T.: 0.000 min
Response: 3229851
Conc: 15.77 ng/ml



#26 AR-1254-1


R.T.: 5.004 min
Delta R.T.: -0.004 min
Response: 3356405
Conc: 11.52 ng/ml



#27 AR-1254-2


R.T.: 6.103 min
Delta R.T.: -0.003 min
Response: 2774053
Conc: 8.90 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#27 AR-1254-2

R.T.: 5.166 min
Delta R.T.: -0.005 min
Response: 1255450
Conc: 4.96 ng/ml




#28 AR-1254-3

R.T.: 6.503 min
Delta R.T.: 0.000 min
Response: 1703729
Conc: 5.33 ng/ml



#28 AR-1254-3


R.T.: 5.596 min
Delta R.T.: -0.005 min
Response: 1759097
Conc: 4.30 ng/ml



#29 AR-1254-4


R.T.: 6.811 min
Delta R.T.: -0.008 min
Response: 1631209
Conc: 7.12 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#29 AR-1254-4

R.T.: 5.848 min
Delta R.T.: -0.005 min
Response: 1512181
Conc: 5.89 ng/ml




#30 AR-1254-5

R.T.: 7.281 min
Delta R.T.: 0.000 min
Response: 1330218
Conc: 5.35 ng/ml



#30 AR-1254-5


R.T.: 6.300 min
Delta R.T.: -0.005 min
Response: 726807
Conc: 1.98 ng/ml



#31 AR-1260-1


R.T.: 6.687 min
Delta R.T.: 0.001 min
Response: 728152
Conc: 2.90 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#31 AR-1260-1

R.T.: 5.750 min
Delta R.T.: 0.007 min
Response: 1508913
Conc: 5.29 ng/ml




#32 AR-1260-2

R.T.: 6.949 min
Delta R.T.: -0.025 min
Response: 125878
Conc: 0.44 ng/ml



#32 AR-1260-2


R.T.: 5.948 min
Delta R.T.: -0.004 min
Response: 500987
Conc: 1.44 ng/ml



#33 AR-1260-3


R.T.: 0.000 min
Exp R.T.: 7.369 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#33 AR-1260-3

R.T.: 6.110 min
Delta R.T.: -0.003 min
Response: 4966772
Conc: 15.29 ng/ml




#34 AR-1260-4

R.T.: 7.601 min
Delta R.T.: -0.013 min
Response: 1851071
Conc: 7.84 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 6.628 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 7.961 min
Delta R.T.: 0.003 min
Response: 238923
Conc: 0.54 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#35 AR-1260-5

R.T.: 6.898 min
Delta R.T.: 0.001 min
Response: 206267
Conc: 0.33 ng/ml




#36 AR-1262-1

R.T.: 0.000 min
Exp R.T. : 7.370 min
Response: 0
Conc: N.D.



#36 AR-1262-1


R.T.: 6.381 min
Delta R.T.: -0.025 min
Response: 202379
Conc: 1.13 ng/ml



#37 AR-1262-2


R.T.: 7.961 min
Delta R.T.: 0.002 min
Response: 238923
Conc: 0.42 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 6.628 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.290 min
Delta R.T.: 0.014 min
Response: 115460
Conc: 0.30 ng/ml



#38 AR-1262-3


R.T.: 7.210 min
Delta R.T.: 0.002 min
Response: 471845
Conc: 1.66 ng/ml



#39 AR-1262-4


R.T.: 8.360 min
Delta R.T.: -0.002 min
Response: 238169
Conc: 0.81 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#39 AR-1262-4

R.T.: 7.273 min
Delta R.T.: -0.003 min
Response: 862852
Conc: 1.50 ng/ml




#40 AR-1262-5

R.T.: 0.000 min
Exp R.T. : 9.014 min
Response: 0
Conc: N.D.



#40 AR-1262-5


R.T.: 7.823 min
Delta R.T.: 0.002 min
Response: 989898
Conc: 3.80 ng/ml



#41 AR-1268-1


R.T.: 8.290 min
Delta R.T.: 0.017 min
Response: 115460
Conc: 0.19 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#41 AR-1268-1

R.T.: 7.210 min
Delta R.T.: 0.002 min
Response: 471845
Conc: 0.59 ng/ml




#42 AR-1268-2

R.T.: 8.360 min
Delta R.T.: -0.007 min
Response: 238169
Conc: 0.44 ng/ml



#42 AR-1268-2


R.T.: 7.273 min
Delta R.T.: -0.005 min
Response: 862852
Conc: 1.16 ng/ml



#43 AR-1268-3


R.T.: 8.587 min
Delta R.T.: -0.006 min
Response: 952542
Conc: 2.01 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024




#43 AR-1268-3

R.T.: 7.497 min
Delta R.T.: -0.007 min
Response: 3209613
Conc: 5.07 ng/ml




#44 AR-1268-4

R.T.: 0.000 min
Exp R.T. : 9.016 min
Response: 0
Conc: N.D.



#44 AR-1268-4


R.T.: 7.823 min
Delta R.T.: 0.000 min
Response: 989898
Conc: 3.77 ng/ml



#45 AR-1268-5

R.T.: 9.414 min
Delta R.T.: -0.006 min
Response: 909510
Conc: 0.62 ng/ml

Instrument :
ECD_R
ClientSampleId :
LOD-MDL-WATER-01-QT1-2024



#45 AR-1268-5

R.T.: 8.115 min
Delta R.T.: -0.008 min
Response: 1206950
Conc: 0.63 ng/ml