

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051221\
 Data File : PD062860.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 May 2021 09:23
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 12 03:55:05 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD050621.M
 Quant Title : GC Extractables
 QLast Update : Thu May 06 08:49:38 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.441	3.971	20121933	230.0E6	22.629	19.868
28)	SA Decachlor...	8.200	9.028	23572276	265.5E6	22.265	23.007
Target Compounds							
2)	A alpha-BHC	3.877	4.359	14362650	197.3E6	10.328	10.250
3)	MA gamma-BHC...	4.161	4.644	14018766	173.7E6	10.728	10.048
6)	B beta-BHC	4.412	4.814	6860843	76111505	11.452	9.980
7)	B delta-BHC	0.000	5.007f	0	16677439	N.D.	0.924 #
8)	B Heptachlo...	0.000	5.855	0	3444539	N.D.	0.216 #
11)	B alpha-Chl...	0.000	6.163	0	3671209	N.D.	0.240 #
12)	B 4,4'-DDE	0.000	6.307	0	4980401	N.D.	0.314 #
13)	MA Dieldrin	5.756f	6.461	546674	12831085	0.455	0.794 #
14)	MA Endrin	5.993	6.673	54443252	626.0E6	48.987	44.523
15)	B Endosulfa...	0.000	6.892	0	7050063	N.D.	0.528 #
16)	A 4,4'-DDD	6.119	6.796	1919173	29504992	2.015	2.283
17)	MA 4,4'-DDT	6.361	7.094	106.7E6	1181.9E6	111.156	92.781
18)	B Endrin al...	6.435	7.006	1146193	7420186	1.229	0.636 #
20)	A Methoxychlor	6.907	7.553	139.3E6	1420.5E6	236.686	212.806
21)	B Endrin ke...	7.140	7.699	3393393	28961424	2.722	2.134
22)	Mirex	0.000	8.182f	0	72086	N.D.	0.008 #
26)	Chlordane-4	0.000	6.163	0	3671209	N.D.	1.423 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051221\
Data File : PD062860.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 May 2021 09:23
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 12 03:55:05 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD050621.M
Quant Title : GC Extractables
QLast Update : Thu May 06 08:49:38 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.441 min
Delta R.T.: 0.000 min
Response: 20121933
Conc: 22.63 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.971 min
Delta R.T.: -0.001 min
Response: 230012370
Conc: 19.87 ng/ml




#2 alpha-BHC

R.T.: 3.877 min
Delta R.T.: -0.001 min
Response: 14362650
Conc: 10.33 ng/ml



#2 alpha-BHC


R.T.: 4.359 min
Delta R.T.: -0.001 min
Response: 197331095
Conc: 10.25 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.161 min
Delta R.T.: -0.001 min
Response: 14018766
Conc: 10.73 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.644 min
Delta R.T.: -0.001 min
Response: 173676290
Conc: 10.05 ng/ml




#6 beta-BHC

R.T.: 4.412 min
Delta R.T.: -0.001 min
Response: 6860843
Conc: 11.45 ng/ml



#6 beta-BHC


R.T.: 4.814 min
Delta R.T.: -0.001 min
Response: 76111505
Conc: 9.98 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T. : 4.617 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PEM




#7 delta-BHC

R.T.: 5.007 min
Delta R.T.: -0.025 min
Response: 16677439
Conc: 0.92 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 5.155 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.855 min
Delta R.T.: 0.010 min
Response: 3444539
Conc: 0.22 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.441 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PEM




#11 alpha-Chlordane

R.T.: 6.163 min
Delta R.T.: 0.012 min
Response: 3671209
Conc: 0.24 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 5.605 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 6.307 min
Delta R.T.: 0.000 min
Response: 4980401
Conc: 0.31 ng/ml



#13 Dieldrin


R.T.: 5.756 min
Delta R.T.: 0.018 min
Response: 546674
Conc: 0.46 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM




#13 Dieldrin

R.T.: 6.461 min
Delta R.T.: 0.003 min
Response: 12831085
Conc: 0.79 ng/ml




#14 Endrin

R.T.: 5.993 min
Delta R.T.: -0.002 min
Response: 54443252
Conc: 48.99 ng/ml



#14 Endrin


R.T.: 6.673 min
Delta R.T.: -0.003 min
Response: 625973393
Conc: 44.52 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.269 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PEM




#15 Endosulfan II

R.T.: 6.892 min
Delta R.T.: 0.008 min
Response: 7050063
Conc: 0.53 ng/ml




#16 4,4'-DDD

R.T.: 6.119 min
Delta R.T.: -0.002 min
Response: 1919173
Conc: 2.02 ng/ml



#16 4,4'-DDD


R.T.: 6.796 min
Delta R.T.: -0.002 min
Response: 29504992
Conc: 2.28 ng/ml



#17 4,4'-DDT


R.T.: 6.361 min
Delta R.T.: -0.002 min
Response: 106716237
Conc: 111.16 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.094 min
Delta R.T.: -0.003 min
Response: 1181862239
Conc: 92.78 ng/ml




#18 Endrin aldehyde

R.T.: 6.435 min
Delta R.T.: -0.003 min
Response: 1146193
Conc: 1.23 ng/ml



#18 Endrin aldehyde


R.T.: 7.006 min
Delta R.T.: -0.002 min
Response: 7420186
Conc: 0.64 ng/ml



#20 Methoxychlor


R.T.: 6.907 min
Delta R.T.: 0.000 min
Response: 139332055
Conc: 236.69 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 7.553 min
Delta R.T.: -0.003 min
Response: 1420466530
Conc: 212.81 ng/ml




#21 Endrin ketone

R.T.: 7.140 min
Delta R.T.: -0.004 min
Response: 3393393
Conc: 2.72 ng/ml



#21 Endrin ketone


R.T.: 7.699 min
Delta R.T.: -0.003 min
Response: 28961424
Conc: 2.13 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T. : 7.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PEM




#22 Mirex

R.T.: 8.182 min
Delta R.T.: 0.024 min
Response: 72086
Conc: 0.01 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 5.441 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.163 min
Delta R.T.: 0.010 min
Response: 3671209
Conc: 1.42 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.200 min
Delta R.T.: -0.004 min
Response: 23572276
Conc: 22.27 ng/ml

Instrument :
ECD_R
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: -0.004 min
Response: 265479904
Conc: 23.01 ng/ml