

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR061521\
 Data File : PR050862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 16:10
 Operator : DD\AJ
 Sample : M2690-14
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PCB-GCP2-BLANK-SPIKE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 16 08:07:31 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR060121CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 02 05:07:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.626	0.000	4450213	0	0.697	N.D. #
2)	SA Decachlor...	10.506	8.840	3227707	3161524	0.444	0.408
Target Compounds							
3)	L1 AR-1016-1	5.818	4.903	141.9E6	128.5E6	521.090	534.018
4)	L1 AR-1016-2	5.840	4.923	206.5E6	184.7E6	537.025	503.179
5)	L1 AR-1016-3	5.903	5.098	117.3E6	94799098	511.494	498.266
6)	L1 AR-1016-4	6.004	5.138	97764824	68464274	507.617	442.547
7)	L1 AR-1016-5	6.296	5.351	92349366	93877504	476.164	458.782
8)	L2 AR-1221-1	4.848	4.031	11367315	7442198	156.588	106.385 #
9)	L2 AR-1221-2	4.940	4.119	11657207	10124180	229.394	202.533
10)	L2 AR-1221-3	5.019	4.196	64064337	57383623	378.069	338.566
11)	L3 AR-1232-1	5.019	4.196	64064337	57383623	461.031	416.786
12)	L3 AR-1232-2	5.549	4.923	93017810	184.7E6	1205.989	1231.474
13)	L3 AR-1232-3	5.840	5.098	206.5E6	94799098	1313.980	1212.159
14)	L3 AR-1232-4	6.004	5.181	97764824	86425558	1236.180	1230.797
15)	L3 AR-1232-5	6.089	5.351	80605241	93877504	1328.775	1195.258
16)	L4 AR-1242-1	5.818	4.903	141.9E6	128.5E6	586.368	581.705
17)	L4 AR-1242-2	5.840	4.923	206.5E6	184.7E6	599.718	563.781
18)	L4 AR-1242-3	5.903	5.098	117.3E6	94799098	566.716	549.143
19)	L4 AR-1242-4	6.004	5.181	97764824	86425558	562.756	512.577
20)	L4 AR-1242-5	6.740	5.701	12708605	72853213	63.717	315.524 #
21)	L5 AR-1248-1	5.818	4.903	141.9E6	128.5E6	890.338	866.632
22)	L5 AR-1248-2	6.089	5.138	80605241	68464274	348.397	325.856
23)	L5 AR-1248-3	6.296	5.181	92349366	86425558	350.522	387.487
24)	L5 AR-1248-4	6.701	5.351	13523841	93877504	42.386	340.529 #
25)	L5 AR-1248-5	6.740	5.742	12708605	10212933	41.467	34.767
26)	L6 AR-1254-1	6.673	5.701	68914035	72853213	158.628	118.356 #
27)	L6 AR-1254-2	6.889	5.847	74106831	69698435	107.472	129.524
28)	L6 AR-1254-3	7.260	6.265	40140615	157.2E6	52.515	165.053 #
29)	L6 AR-1254-4	7.546	6.476	27175161	13347155	46.934	22.438 #
30)	L6 AR-1254-5	7.967	6.892	245.4E6	284.6E6	389.168	326.867
31)	L7 AR-1260-1	7.421	6.379	172.1E6	189.7E6	484.168	471.481
32)	L7 AR-1260-2	7.678	6.565	203.0E6	233.0E6	469.794	477.441
33)	L7 AR-1260-3	8.037	6.719	122.4E6	222.5E6	378.530	476.095 #
34)	L7 AR-1260-4	8.273	7.190	151.2E6	159.2E6	393.595	398.978
35)	L7 AR-1260-5	8.609	7.429	307.1E6	407.6E6	383.217	418.614
36)	L8 AR-1262-1	8.037	6.892	122.4E6	284.6E6	212.757	801.864 #
37)	L8 AR-1262-2	8.609	7.429	307.1E6	407.6E6	280.544	308.566
38)	L8 AR-1262-3	8.957	7.713	193.1E6	68636105	270.963	138.586 #
39)	L8 AR-1262-4	9.010	7.776	102.7E6	285.4E6	194.277	292.614 #
40)	L8 AR-1262-5	9.724	8.276	78761648	80401967	197.645	183.004
41)	L9 AR-1268-1	8.957	7.713	193.1E6	68636105	134.492	41.024 #
42)	L9 AR-1268-2	9.010	7.776	102.7E6	285.4E6	78.239	183.924 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR061521\
 Data File : PR050862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 16:10
 Operator : DD\AJ
 Sample : M2690-14
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PCB-GCP2-BLANK-SPIKE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 16 08:07:31 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR060121CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 02 05:07:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	9.267	7.986	5353715	5850860	4.761	4.543
44) L9	AR-1268-4	9.724	8.276	78761648	80401967	158.986	145.602
45) L9	AR-1268-5	10.156	8.577	24371378	24446944	6.278	5.905



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR061521\
 Data File : PR050862.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2021 16:10
 Operator : DD\AJ
 Sample : M2690-14
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PCB-GCP2-BLANK-SPIKE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 16 08:07:31 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR060121CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 02 05:07:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#3 AR-1016-1


R.T.: 5.818 min
Delta R.T.: 0.005 min
Response: 141896042
Conc: 521.09 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#3 AR-1016-1

R.T.: 4.903 min
Delta R.T.: 0.003 min
Response: 128543635
Conc: 534.02 ng/ml




#4 AR-1016-2

R.T.: 5.840 min
Delta R.T.: 0.004 min
Response: 206486479
Conc: 537.03 ng/ml



#4 AR-1016-2


R.T.: 4.923 min
Delta R.T.: 0.004 min
Response: 184679405
Conc: 503.18 ng/ml



#5 AR-1016-3


R.T.: 5.903 min
Delta R.T.: 0.005 min
Response: 117286226
Conc: 511.49 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#5 AR-1016-3

R.T.: 5.098 min
Delta R.T.: 0.003 min
Response: 94799098
Conc: 498.27 ng/ml




#6 AR-1016-4

R.T.: 6.004 min
Delta R.T.: 0.005 min
Response: 97764824
Conc: 507.62 ng/ml



#6 AR-1016-4


R.T.: 5.138 min
Delta R.T.: 0.003 min
Response: 68464274
Conc: 442.55 ng/ml



#7 AR-1016-5


R.T.: 6.296 min
Delta R.T.: 0.004 min
Response: 92349366
Conc: 476.16 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#7 AR-1016-5

R.T.: 5.351 min
Delta R.T.: 0.002 min
Response: 93877504
Conc: 458.78 ng/ml




#8 AR-1221-1

R.T.: 4.848 min
Delta R.T.: 0.004 min
Response: 11367315
Conc: 156.59 ng/ml



#8 AR-1221-1


R.T.: 4.031 min
Delta R.T.: 0.006 min
Response: 7442198
Conc: 106.39 ng/ml



#9 AR-1221-2


R.T.: 4.940 min
Delta R.T.: 0.008 min
Response: 11657207
Conc: 229.39 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#9 AR-1221-2

R.T.: 4.119 min
Delta R.T.: 0.009 min
Response: 10124180
Conc: 202.53 ng/ml




#10 AR-1221-3

R.T.: 5.019 min
Delta R.T.: 0.008 min
Response: 64064337
Conc: 378.07 ng/ml



#10 AR-1221-3


R.T.: 4.196 min
Delta R.T.: 0.008 min
Response: 57383623
Conc: 338.57 ng/ml



#11 AR-1232-1


R.T.: 5.019 min
Delta R.T.: 0.008 min
Response: 64064337
Conc: 461.03 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#11 AR-1232-1

R.T.: 4.196 min
Delta R.T.: 0.008 min
Response: 57383623
Conc: 416.79 ng/ml




#12 AR-1232-2

R.T.: 5.549 min
Delta R.T.: 0.005 min
Response: 93017810
Conc: 1205.99 ng/ml



#12 AR-1232-2


R.T.: 4.923 min
Delta R.T.: 0.004 min
Response: 184679405
Conc: 1231.47 ng/ml



#13 AR-1232-3


R.T.: 5.840 min
Delta R.T.: 0.004 min
Response: 206486479
Conc: 1313.98 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#13 AR-1232-3

R.T.: 5.098 min
Delta R.T.: 0.003 min
Response: 94799098
Conc: 1212.16 ng/ml




#14 AR-1232-4

R.T.: 6.004 min
Delta R.T.: 0.004 min
Response: 97764824
Conc: 1236.18 ng/ml



#14 AR-1232-4


R.T.: 5.181 min
Delta R.T.: 0.003 min
Response: 86425558
Conc: 1230.80 ng/ml



#15 AR-1232-5


R.T.: 6.089 min
Delta R.T.: 0.004 min
Response: 80605241
Conc: 1328.78 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#15 AR-1232-5

R.T.: 5.351 min
Delta R.T.: 0.002 min
Response: 93877504
Conc: 1195.26 ng/ml




#16 AR-1242-1

R.T.: 5.818 min
Delta R.T.: 0.004 min
Response: 141896042
Conc: 586.37 ng/ml



#16 AR-1242-1


R.T.: 4.903 min
Delta R.T.: 0.003 min
Response: 128543635
Conc: 581.71 ng/ml



#17 AR-1242-2


R.T.: 5.840 min
Delta R.T.: 0.004 min
Response: 206486479
Conc: 599.72 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#17 AR-1242-2

R.T.: 4.923 min
Delta R.T.: 0.003 min
Response: 184679405
Conc: 563.78 ng/ml




#18 AR-1242-3

R.T.: 5.903 min
Delta R.T.: 0.004 min
Response: 117286226
Conc: 566.72 ng/ml



#18 AR-1242-3


R.T.: 5.098 min
Delta R.T.: 0.003 min
Response: 94799098
Conc: 549.14 ng/ml



#19 AR-1242-4


R.T.: 6.004 min
Delta R.T.: 0.004 min
Response: 97764824
Conc: 562.76 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#19 AR-1242-4

R.T.: 5.181 min
Delta R.T.: 0.003 min
Response: 86425558
Conc: 512.58 ng/ml




#20 AR-1242-5

R.T.: 6.740 min
Delta R.T.: 0.003 min
Response: 12708605
Conc: 63.72 ng/ml



#20 AR-1242-5


R.T.: 5.701 min
Delta R.T.: 0.002 min
Response: 72853213
Conc: 315.52 ng/ml



#21 AR-1248-1


R.T.: 5.818 min
Delta R.T.: 0.005 min
Response: 141896042
Conc: 890.34 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#21 AR-1248-1

R.T.: 4.903 min
Delta R.T.: 0.004 min
Response: 128543635
Conc: 866.63 ng/ml




#22 AR-1248-2

R.T.: 6.089 min
Delta R.T.: 0.003 min
Response: 80605241
Conc: 348.40 ng/ml



#22 AR-1248-2


R.T.: 5.138 min
Delta R.T.: 0.003 min
Response: 68464274
Conc: 325.86 ng/ml



#23 AR-1248-3


R.T.: 6.296 min
Delta R.T.: 0.004 min
Response: 92349366
Conc: 350.52 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#23 AR-1248-3

R.T.: 5.181 min
Delta R.T.: 0.004 min
Response: 86425558
Conc: 387.49 ng/ml




#24 AR-1248-4

R.T.: 6.701 min
Delta R.T.: 0.002 min
Response: 13523841
Conc: 42.39 ng/ml



#24 AR-1248-4


R.T.: 5.351 min
Delta R.T.: 0.002 min
Response: 93877504
Conc: 340.53 ng/ml



#25 AR-1248-5


R.T.: 6.740 min
Delta R.T.: 0.003 min
Response: 12708605
Conc: 41.47 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#25 AR-1248-5

R.T.: 5.742 min
Delta R.T.: 0.001 min
Response: 10212933
Conc: 34.77 ng/ml




#26 AR-1254-1

R.T.: 6.673 min
Delta R.T.: 0.004 min
Response: 68914035
Conc: 158.63 ng/ml



#26 AR-1254-1


R.T.: 5.701 min
Delta R.T.: 0.001 min
Response: 72853213
Conc: 118.36 ng/ml



#27 AR-1254-2


R.T.: 6.889 min
Delta R.T.: 0.002 min
Response: 74106831
Conc: 107.47 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#27 AR-1254-2

R.T.: 5.847 min
Delta R.T.: 0.000 min
Response: 69698435
Conc: 129.52 ng/ml




#28 AR-1254-3

R.T.: 7.260 min
Delta R.T.: 0.002 min
Response: 40140615
Conc: 52.51 ng/ml



#28 AR-1254-3


R.T.: 6.265 min
Delta R.T.: 0.015 min
Response: 157229491
Conc: 165.05 ng/ml



#29 AR-1254-4


R.T.: 7.546 min
Delta R.T.: 0.002 min
Response: 27175161
Conc: 46.93 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#29 AR-1254-4

R.T.: 6.476 min
Delta R.T.: 0.000 min
Response: 13347155
Conc: 22.44 ng/ml




#30 AR-1254-5

R.T.: 7.967 min
Delta R.T.: 0.003 min
Response: 245350278
Conc: 389.17 ng/ml



#30 AR-1254-5


R.T.: 6.892 min
Delta R.T.: 0.000 min
Response: 284599882
Conc: 326.87 ng/ml



#31 AR-1260-1


R.T.: 7.421 min
Delta R.T.: 0.003 min
Response: 172092061
Conc: 484.17 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#31 AR-1260-1

R.T.: 6.379 min
Delta R.T.: 0.000 min
Response: 189661662
Conc: 471.48 ng/ml




#32 AR-1260-2

R.T.: 7.678 min
Delta R.T.: 0.004 min
Response: 203047931
Conc: 469.79 ng/ml



#32 AR-1260-2


R.T.: 6.565 min
Delta R.T.: 0.000 min
Response: 233005222
Conc: 477.44 ng/ml



#33 AR-1260-3


R.T.: 8.037 min
Delta R.T.: 0.003 min
Response: 122384400
Conc: 378.53 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#33 AR-1260-3

R.T.: 6.719 min
Delta R.T.: 0.000 min
Response: 222514255
Conc: 476.10 ng/ml




#34 AR-1260-4

R.T.: 8.273 min
Delta R.T.: 0.004 min
Response: 151211003
Conc: 393.60 ng/ml



#34 AR-1260-4


R.T.: 7.190 min
Delta R.T.: 0.000 min
Response: 159207979
Conc: 398.98 ng/ml



#35 AR-1260-5


R.T.: 8.609 min
Delta R.T.: 0.004 min
Response: 307050679
Conc: 383.22 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#35 AR-1260-5

R.T.: 7.429 min
Delta R.T.: 0.000 min
Response: 407633951
Conc: 418.61 ng/ml




#36 AR-1262-1

R.T.: 8.037 min
Delta R.T.: 0.002 min
Response: 122384400
Conc: 212.76 ng/ml



#36 AR-1262-1


R.T.: 6.892 min
Delta R.T.: 0.000 min
Response: 284599882
Conc: 801.86 ng/ml



#37 AR-1262-2


R.T.: 8.609 min
Delta R.T.: 0.004 min
Response: 307050679
Conc: 280.54 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#37 AR-1262-2

R.T.: 7.429 min
Delta R.T.: 0.000 min
Response: 407633951
Conc: 308.57 ng/ml




#38 AR-1262-3

R.T.: 8.957 min
Delta R.T.: 0.028 min
Response: 193137934
Conc: 270.96 ng/ml



#38 AR-1262-3


R.T.: 7.713 min
Delta R.T.: 0.000 min
Response: 68636105
Conc: 138.59 ng/ml



#39 AR-1262-4


R.T.: 9.010 min
Delta R.T.: -0.014 min
Response: 102694603
Conc: 194.28 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#39 AR-1262-4

R.T.: 7.776 min
Delta R.T.: -0.001 min
Response: 285401241
Conc: 292.61 ng/ml




#40 AR-1262-5

R.T.: 9.724 min
Delta R.T.: 0.006 min
Response: 78761648
Conc: 197.64 ng/ml



#40 AR-1262-5


R.T.: 8.276 min
Delta R.T.: 0.000 min
Response: 80401967
Conc: 183.00 ng/ml



#41 AR-1268-1


R.T.: 8.957 min
Delta R.T.: 0.030 min
Response: 193137934
Conc: 134.49 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#41 AR-1268-1

R.T.: 7.713 min
Delta R.T.: 0.000 min
Response: 68636105
Conc: 41.02 ng/ml




#42 AR-1268-2

R.T.: 9.010 min
Delta R.T.: -0.017 min
Response: 102694603
Conc: 78.24 ng/ml



#42 AR-1268-2


R.T.: 7.776 min
Delta R.T.: -0.002 min
Response: 285401241
Conc: 183.92 ng/ml



#43 AR-1268-3


R.T.: 9.267 min
Delta R.T.: 0.004 min
Response: 5353715
Conc: 4.76 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE




#43 AR-1268-3

R.T.: 7.986 min
Delta R.T.: 0.000 min
Response: 5850860
Conc: 4.54 ng/ml




#44 AR-1268-4

R.T.: 9.724 min
Delta R.T.: 0.005 min
Response: 78761648
Conc: 158.99 ng/ml



#44 AR-1268-4


R.T.: 8.276 min
Delta R.T.: 0.001 min
Response: 80401967
Conc: 145.60 ng/ml



#45 AR-1268-5

R.T.: 10.156 min
Delta R.T.: 0.005 min
Response: 24371378
Conc: 6.28 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GCP2-BLANK-SPIKE



#45 AR-1268-5

R.T.: 8.577 min
Delta R.T.: 0.000 min
Response: 24446944
Conc: 5.91 ng/ml