

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR070118\
 Data File : PR029609.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 27 Jun 2018 12:07
 Operator : UA/SM
 Sample : J3681-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 FK-GF-02-022-A

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 27 12:22:35 2018
 Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_R\Method\PR062718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jun 23 08:41:26 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.574	3.714	475.4E6	846.7E6	20.658	17.911
2) SA Decachlor...	10.346	8.651	360.4E6	289.0E6	12.874	14.631

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR070118\
Data File : PR029609.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 Jun 2018 12:07
Operator : UA/SM
Sample : J3681-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampled :
FK-GF-02-022-A

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 27 12:22:35 2018
Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_R\Method\PR062718.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jun 23 08:41:26 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.574 min
Delta R.T.: 0.001 min
Response: 475444853
Conc: 20.66 ng/ml

Instrument :
ECD_R
ClientSampleId :
FK-GF-02-022-A




#1 Tetrachloro-m-xylene

R.T.: 3.714 min
Delta R.T.: 0.000 min
Response: 846735458
Conc: 17.91 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.346 min
Delta R.T.: -0.003 min
Response: 360415413
Conc: 12.87 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.651 min
Delta R.T.: -0.006 min
Response: 288954909
Conc: 14.63 ng/ml