

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR081424\
 Data File : PR068253.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 02:32
 Operator : AJ\MA
 Sample : P3542-08
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PCB-GPC-BLANK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 07:59:52 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR081424CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 07:30:34 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	0.000	3.017	0	937595	N.D.	0.172 #
Target Compounds							
3)	L1 AR-1016-1	4.909	4.161	398903	458814	7.583	2.557 #
4)	L1 AR-1016-2	4.909	4.161	398903	458814	4.056	1.823 #
5)	L1 AR-1016-3	5.006	4.407f	286319	561779	4.453	4.100
6)	L1 AR-1016-4	0.000	4.407	0	561779	N.D.	5.023 #
7)	L1 AR-1016-5	5.455f	4.658f	280781	1231663	6.641	8.415 #
8)	L2 AR-1221-1	0.000	3.167f	0	496387	N.D.	7.914 #
9)	L2 AR-1221-2	0.000	3.364f	0	472870	N.D.	10.731 #
10)	L2 AR-1221-3	0.000	3.364f	0	472870	N.D.	3.303 #
11)	L3 AR-1232-1	0.000	3.364f	0	472870	N.D.	4.176 #
12)	L3 AR-1232-2	0.000	4.161	0	458814	N.D.	4.027 #
13)	L3 AR-1232-3	4.909	4.407f	398903	561779	8.737	9.181
14)	L3 AR-1232-4	0.000	4.407	0	561779	N.D.	10.109 #
15)	L3 AR-1232-5	5.191	4.658f	318650	1231663	29.410	20.580 #
16)	L4 AR-1242-1	4.909	4.161	398903	458814	9.000	3.005 #
17)	L4 AR-1242-2	4.909	4.161	398903	458814	4.810	2.161 #
18)	L4 AR-1242-3	5.006	4.407f	286319	561779	5.303	4.852
19)	L4 AR-1242-4	0.000	4.407	0	561779	N.D.	4.876 #
20)	L4 AR-1242-5	5.863	5.009	602061	576363	12.716	3.904 #
21)	L5 AR-1248-1	4.909	4.161	398903	458814	11.899	4.087 #
22)	L5 AR-1248-2	5.191	4.407	318650	561779	7.838	3.375 #
23)	L5 AR-1248-3	5.455f	4.407	280781	561779	4.781	3.314 #
24)	L5 AR-1248-4	5.821	4.658f	243439	1231663	3.572	6.047 #
25)	L5 AR-1248-5	5.863	5.009	602061	576363	7.663	2.883 #
26)	L6 AR-1254-1	5.821	5.009	243439	576363	4.053	1.880 #
27)	L6 AR-1254-2	6.030	5.150	449997	1158577	4.511	4.250
28)	L6 AR-1254-3	6.476f	5.560	1285563	609041	9.949	1.406 #
29)	L6 AR-1254-4	6.732	5.778f	660607	539926	5.914	2.030 #
30)	L6 AR-1254-5	7.216	0.000	486704	0	3.877	N.D. #
31)	L7 AR-1260-1	6.578f	5.755f	1179720	458064	14.687	1.504 #
32)	L7 AR-1260-2	6.964f	5.883f	1159154	686520	7.959	1.859 #
33)	L7 AR-1260-3	7.292	6.093	220740	936175	1.340	2.743 #
34)	L7 AR-1260-4	7.511	6.640f	1294652	276914	9.578	0.939 #
35)	L7 AR-1260-5	7.874	0.000	560143	0	1.195	N.D. #
36)	L8 AR-1262-1	7.292	0.000	220740	0	0.943	N.D. #
37)	L8 AR-1262-2	7.874	0.000	560143	0	1.081	N.D. #
38)	L8 AR-1262-3	0.000	7.175	0	448431	N.D.	1.529 #
39)	L8 AR-1262-4	8.286	7.238	445254	107152	1.489	0.197 #
40)	L8 AR-1262-5	8.831f	0.000	229593	0	1.066	N.D. #
41)	L9 AR-1268-1	0.000	7.175	0	448431	N.D.	0.498 #
42)	L9 AR-1268-2	8.286	7.238	445254	107152	0.644	0.130 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR081424\
 Data File : PR068253.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 02:32
 Operator : AJ\MA
 Sample : P3542-08
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PCB-GPC-BLANK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 07:59:52 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR081424CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Aug 14 07:30:34 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43) L9	AR-1268-3	8.458	0.000	570309	0	0.876	N.D. #
44) L9	AR-1268-4	8.831f	0.000	229593	0	0.904	N.D. #
45) L9	AR-1268-5	9.261	0.000	393975	0	0.211	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR081424\
Data File : PR068253.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 02:32
Operator : AJ\MA
Sample : P3542-08
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 07:59:52 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR081424CLP.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Aug 14 07:30:34 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#3 AR-1016-1


R.T.: 4.909 min
Delta R.T.: 0.009 min
Response: 398903
Conc: 7.58 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#3 AR-1016-1

R.T.: 4.161 min
Delta R.T.: 0.022 min
Response: 458814
Conc: 2.56 ng/ml




#4 AR-1016-2

R.T.: 4.909 min
Delta R.T.: -0.013 min
Response: 398903
Conc: 4.06 ng/ml



#4 AR-1016-2


R.T.: 4.161 min
Delta R.T.: 0.003 min
Response: 458814
Conc: 1.82 ng/ml



#5 AR-1016-3


R.T.: 5.006 min
Delta R.T.: 0.020 min
Response: 286319
Conc: 4.45 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#5 AR-1016-3

R.T.: 4.407 min
Delta R.T.: 0.068 min
Response: 561779
Conc: 4.10 ng/ml




#6 AR-1016-4

R.T.: 0.000 min
Exp R.T. : 5.088 min
Response: 0
Conc: N.D.



#6 AR-1016-4


R.T.: 4.407 min
Delta R.T.: 0.017 min
Response: 561779
Conc: 5.02 ng/ml



#7 AR-1016-5


R.T.: 5.455 min
Delta R.T.: 0.051 min
Response: 280781
Conc: 6.64 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#7 AR-1016-5

R.T.: 4.658 min
Delta R.T.: 0.048 min
Response: 1231663
Conc: 8.41 ng/ml




#8 AR-1221-1

R.T.: 0.000 min
Exp R.T. : 3.899 min
Response: 0
Conc: N.D.



#8 AR-1221-1


R.T.: 3.167 min
Delta R.T.: -0.068 min
Response: 496387
Conc: 7.91 ng/ml



#9 AR-1221-2


R.T.: 0.000 min
Exp R.T.: 3.987 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#9 AR-1221-2

R.T.: 3.364 min
Delta R.T.: 0.042 min
Response: 472870
Conc: 10.73 ng/ml




#10 AR-1221-3

R.T.: 0.000 min
Exp R.T.: 4.065 min
Response: 0
Conc: N.D.



#10 AR-1221-3


R.T.: 3.364 min
Delta R.T.: -0.036 min
Response: 472870
Conc: 3.30 ng/ml



#11 AR-1232-1


R.T.: 0.000 min
Exp R.T.: 4.066 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#11 AR-1232-1

R.T.: 3.364 min
Delta R.T.: -0.036 min
Response: 472870
Conc: 4.18 ng/ml




#12 AR-1232-2

R.T.: 0.000 min
Exp R.T.: 4.615 min
Response: 0
Conc: N.D.



#12 AR-1232-2


R.T.: 4.161 min
Delta R.T.: 0.003 min
Response: 458814
Conc: 4.03 ng/ml



#13 AR-1232-3


R.T.: 4.909 min
Delta R.T.: -0.013 min
Response: 398903
Conc: 8.74 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#13 AR-1232-3

R.T.: 4.407 min
Delta R.T.: 0.069 min
Response: 561779
Conc: 9.18 ng/ml




#14 AR-1232-4

R.T.: 0.000 min
Exp R.T. : 5.089 min
Response: 0
Conc: N.D.



#14 AR-1232-4


R.T.: 4.407 min
Delta R.T.: -0.026 min
Response: 561779
Conc: 10.11 ng/ml



#15 AR-1232-5


R.T.: 5.191 min
Delta R.T.: -0.001 min
Response: 318650
Conc: 29.41 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#15 AR-1232-5

R.T.: 4.658 min
Delta R.T.: 0.048 min
Response: 1231663
Conc: 20.58 ng/ml




#16 AR-1242-1

R.T.: 4.909 min
Delta R.T.: 0.009 min
Response: 398903
Conc: 9.00 ng/ml



#16 AR-1242-1


R.T.: 4.161 min
Delta R.T.: 0.022 min
Response: 458814
Conc: 3.01 ng/ml



#17 AR-1242-2


R.T.: 4.909 min
Delta R.T.: -0.013 min
Response: 398903
Conc: 4.81 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#17 AR-1242-2

R.T.: 4.161 min
Delta R.T.: 0.003 min
Response: 458814
Conc: 2.16 ng/ml




#18 AR-1242-3

R.T.: 5.006 min
Delta R.T.: 0.020 min
Response: 286319
Conc: 5.30 ng/ml



#18 AR-1242-3


R.T.: 4.407 min
Delta R.T.: 0.068 min
Response: 561779
Conc: 4.85 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.089 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#19 AR-1242-4

R.T.: 4.407 min
Delta R.T.: -0.026 min
Response: 561779
Conc: 4.88 ng/ml




#20 AR-1242-5

R.T.: 5.863 min
Delta R.T.: -0.013 min
Response: 602061
Conc: 12.72 ng/ml



#20 AR-1242-5


R.T.: 5.009 min
Delta R.T.: 0.024 min
Response: 576363
Conc: 3.90 ng/ml



#21 AR-1248-1


R.T.: 4.909 min
Delta R.T.: 0.009 min
Response: 398903
Conc: 11.90 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#21 AR-1248-1

R.T.: 4.161 min
Delta R.T.: 0.022 min
Response: 458814
Conc: 4.09 ng/ml




#22 AR-1248-2

R.T.: 5.191 min
Delta R.T.: 0.000 min
Response: 318650
Conc: 7.84 ng/ml



#22 AR-1248-2


R.T.: 4.407 min
Delta R.T.: 0.017 min
Response: 561779
Conc: 3.37 ng/ml



#23 AR-1248-3


R.T.: 5.455 min
Delta R.T.: 0.051 min
Response: 280781
Conc: 4.78 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#23 AR-1248-3

R.T.: 4.407 min
Delta R.T.: -0.025 min
Response: 561779
Conc: 3.31 ng/ml




#24 AR-1248-4

R.T.: 5.821 min
Delta R.T.: -0.016 min
Response: 243439
Conc: 3.57 ng/ml



#24 AR-1248-4


R.T.: 4.658 min
Delta R.T.: 0.048 min
Response: 1231663
Conc: 6.05 ng/ml



#25 AR-1248-5


R.T.: 5.863 min
Delta R.T.: -0.013 min
Response: 602061
Conc: 7.66 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#25 AR-1248-5

R.T.: 5.009 min
Delta R.T.: -0.018 min
Response: 576363
Conc: 2.88 ng/ml




#26 AR-1254-1

R.T.: 5.821 min
Delta R.T.: 0.014 min
Response: 243439
Conc: 4.05 ng/ml



#26 AR-1254-1


R.T.: 5.009 min
Delta R.T.: 0.024 min
Response: 576363
Conc: 1.88 ng/ml



#27 AR-1254-2


R.T.: 6.030 min
Delta R.T.: -0.013 min
Response: 449997
Conc: 4.51 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#27 AR-1254-2

R.T.: 5.150 min
Delta R.T.: 0.004 min
Response: 1158577
Conc: 4.25 ng/ml




#28 AR-1254-3

R.T.: 6.476 min
Delta R.T.: 0.040 min
Response: 1285563
Conc: 9.95 ng/ml



#28 AR-1254-3


R.T.: 5.560 min
Delta R.T.: -0.012 min
Response: 609041
Conc: 1.41 ng/ml



#29 AR-1254-4


R.T.: 6.732 min
Delta R.T.: -0.014 min
Response: 660607
Conc: 5.91 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#29 AR-1254-4

R.T.: 5.778 min
Delta R.T.: -0.042 min
Response: 539926
Conc: 2.03 ng/ml




#30 AR-1254-5

R.T.: 7.216 min
Delta R.T.: 0.016 min
Response: 486704
Conc: 3.88 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 6.269 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 6.578 min
Delta R.T.: -0.037 min
Response: 1179720
Conc: 14.69 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#31 AR-1260-1

R.T.: 5.755 min
Delta R.T.: 0.041 min
Response: 458064
Conc: 1.50 ng/ml




#32 AR-1260-2

R.T.: 6.964 min
Delta R.T.: 0.066 min
Response: 1159154
Conc: 7.96 ng/ml



#32 AR-1260-2


R.T.: 5.883 min
Delta R.T.: -0.038 min
Response: 686520
Conc: 1.86 ng/ml



#33 AR-1260-3


R.T.: 7.292 min
Delta R.T.: 0.004 min
Response: 220740
Conc: 1.34 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#33 AR-1260-3

R.T.: 6.093 min
Delta R.T.: 0.013 min
Response: 936175
Conc: 2.74 ng/ml




#34 AR-1260-4

R.T.: 7.511 min
Delta R.T.: -0.018 min
Response: 1294652
Conc: 9.58 ng/ml



#34 AR-1260-4


R.T.: 6.640 min
Delta R.T.: 0.049 min
Response: 276914
Conc: 0.94 ng/ml



#35 AR-1260-5


R.T.: 7.874 min
Delta R.T.: 0.006 min
Response: 560143
Conc: 1.19 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T. : 6.857 min
Response: 0
Conc: N.D.




#36 AR-1262-1

R.T.: 7.292 min
Delta R.T.: 0.005 min
Response: 220740
Conc: 0.94 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 6.315 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 7.874 min
Delta R.T.: 0.007 min
Response: 560143
Conc: 1.08 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 6.856 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.171 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.175 min
Delta R.T.: 0.011 min
Response: 448431
Conc: 1.53 ng/ml



#39 AR-1262-4


R.T.: 8.286 min
Delta R.T.: 0.028 min
Response: 445254
Conc: 1.49 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#39 AR-1262-4

R.T.: 7.238 min
Delta R.T.: 0.006 min
Response: 107152
Conc: 0.20 ng/ml




#40 AR-1262-5

R.T.: 8.831 min
Delta R.T.: -0.051 min
Response: 229593
Conc: 1.07 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 7.770 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.170 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#41 AR-1268-1

R.T.: 7.175 min
Delta R.T.: 0.012 min
Response: 448431
Conc: 0.50 ng/ml




#42 AR-1268-2

R.T.: 8.286 min
Delta R.T.: 0.025 min
Response: 445254
Conc: 0.64 ng/ml



#42 AR-1268-2


R.T.: 7.238 min
Delta R.T.: 0.005 min
Response: 107152
Conc: 0.13 ng/ml



#43 AR-1268-3


R.T.: 8.458 min
Delta R.T.: -0.022 min
Response: 570309
Conc: 0.88 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.458 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 8.831 min
Delta R.T.: -0.054 min
Response: 229593
Conc: 0.90 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 7.770 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.261 min
Delta R.T.: -0.009 min
Response: 393975
Conc: 0.21 ng/ml

Instrument :
ECD_R
ClientSampleId :
PCB-GPC-BLANK



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.068 min
Response: 0
Conc: N.D.