

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR082418\
 Data File : PR031620.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Aug 2018 10:07
 Operator : SM\SJ
 Sample : PB112283BL
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 PB112283BL

Manual Integrations
 APPROVED

Sohil
 8/27/2018 11:31:05 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 00:17:45 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR082318.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 24 09:16:01 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.561	3.667	457.4E6	776.5E6	20.916m	20.240
2) SA Decachlor...	10.345	8.554	584.5E6	419.8E6	18.834	20.660

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR082418\
Data File : PR031620.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Aug 2018 10:07
Operator : SM\SJ
Sample : PB112283BL
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_R
ClientSampled :
PB112283BL


Manual Integrations
APPROVED

Sohil
8/27/2018 11:31:05 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 00:17:45 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR082318.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 24 09:16:01 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 4.561 min
Delta R.T.: 0.011 min
Response: 457406265
Conc: 20.92 ng/ml m

Instrument :
ECD_R
ClientSampleId :
PB112283BL


Manual Integrations
APPROVED

Sohil
8/27/2018 11:31:05 AM




#1 Tetrachloro-m-xylene

R.T.: 3.667 min
Delta R.T.: -0.006 min
Response: 776498316
Conc: 20.24 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.345 min
Delta R.T.: 0.023 min
Response: 584532668
Conc: 18.83 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.554 min
Delta R.T.: 0.003 min
Response: 419836894
Conc: 20.66 ng/ml