

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR082418\
 Data File : PR031647.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Aug 2018 19:00
 Operator : SM\SJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 I.BLK

Manual Integrations
 APPROVED

Sohil
 8/27/2018 11:31:49 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 00:25:54 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR082318.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Aug 24 09:16:01 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.550	3.672	529.0E6	984.1E6	24.191	25.652
2) SA Decachlor...	10.314	8.546	609.9E6	431.1E6	19.653	21.213m

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR082418\
Data File : PR031647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Aug 2018 19:00
Operator : SM\SJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1



Instrument :
ECD_R
ClientSampled :
I.BLK


Manual Integrations
APPROVED

Sohil
8/27/2018 11:31:49 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 00:25:54 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR082318.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Aug 24 09:16:01 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 4.550 min
Delta R.T.: 0.000 min
Response: 529042704
Conc: 24.19 ng/ml

Instrument :
ECD_R
ClientSampleId :
I.BLK


Manual Integrations
APPROVED

Sohil
8/27/2018 11:31:49 AM




#1 Tetrachloro-m-xylene

R.T.: 3.672 min
Delta R.T.: -0.001 min
Response: 984117086
Conc: 25.65 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.314 min
Delta R.T.: -0.008 min
Response: 609945310
Conc: 19.65 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.546 min
Delta R.T.: -0.005 min
Response: 431081194
Conc: 21.21 ng/ml m