

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR112624\
 Data File : TEST.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Nov 2024 13:38
 Operator : AJ\MA
 Sample : BL
 Misc :
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Nov 27 05:17:32 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR112124CLP.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Nov 22 04:30:58 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
 Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.653	2.967	17677965	110.7E6	16.899	17.787
2)	SA Decachlor...	9.567	8.264	12095844	79995178	22.521	21.223
Target Compounds							
3)	L1 AR-1016-1	0.000	4.043f	0	43421	N.D.	0.217 #
4)	L1 AR-1016-2	0.000	4.043f	0	43421	N.D.	0.152 #
5)	L1 AR-1016-3	0.000	4.233f	0	270589	N.D.	1.771 #
9)	L2 AR-1221-2	0.000	3.272	0	1963493	N.D.	37.096 #
10)	L2 AR-1221-3	0.000	3.313f	0	107419	N.D.	0.640 #
11)	L3 AR-1232-1	0.000	3.313f	0	107419	N.D.	0.801 #
12)	L3 AR-1232-2	0.000	4.043f	0	43421	N.D.	0.329 #
13)	L3 AR-1232-3	0.000	4.233f	0	270589	N.D.	3.934 #
14)	L3 AR-1232-4	0.000	4.441f	0	1173469	N.D.	19.712 #
16)	L4 AR-1242-1	0.000	4.043f	0	43421	N.D.	0.260 #
17)	L4 AR-1242-2	0.000	4.043f	0	43421	N.D.	0.183 #
18)	L4 AR-1242-3	0.000	4.233f	0	270589	N.D.	2.123 #
19)	L4 AR-1242-4	0.000	4.441f	0	1173469	N.D.	9.685 #
20)	L4 AR-1242-5	0.000	4.926	0	7042259	N.D.	48.831 #
21)	L5 AR-1248-1	0.000	4.043f	0	43421	N.D.	0.348 #
23)	L5 AR-1248-3	0.000	4.441f	0	1173469	N.D.	6.707 #
25)	L5 AR-1248-5	0.000	4.956	0	3233064	N.D.	16.441 #
26)	L6 AR-1254-1	0.000	4.926	0	7042259	N.D.	23.601 #
27)	L6 AR-1254-2	0.000	5.139f	0	8231122	N.D.	32.138 #
28)	L6 AR-1254-3	0.000	5.507	0	6576100	N.D.	16.644 #
29)	L6 AR-1254-4	0.000	5.750	0	1404768	N.D.	5.736 #
31)	L7 AR-1260-1	0.000	5.661	0	8177622	N.D.	32.279 #
32)	L7 AR-1260-2	0.000	5.829	0	2290808	N.D.	7.729 #
33)	L7 AR-1260-3	0.000	6.032	0	548396	N.D.	1.935 #
34)	L7 AR-1260-4	0.000	6.537	0	2852548	N.D.	11.811 #
35)	L7 AR-1260-5	0.000	6.849f	0	1297044	N.D.	2.274 #
36)	L8 AR-1262-1	0.000	6.317f	0	1168225	N.D.	3.275 #
37)	L8 AR-1262-2	0.000	6.849f	0	1297044	N.D.	2.043 #
40)	L8 AR-1262-5	0.000	7.661f	0	88748	N.D.	0.407 #
43)	L9 AR-1268-3	0.000	7.402	0	440789	N.D.	0.767 #
44)	L9 AR-1268-4	0.000	7.661f	0	88748	N.D.	0.359 #
45)	L9 AR-1268-5	0.000	8.016	0	987751	N.D.	0.540 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR112624\
Data File : TEST.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Nov 2024 13:38
Operator : AJ\MA
Sample : BL
Misc :
ALS Vial : 51 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Nov 27 05:17:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR112124CLP.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Nov 22 04:30:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB MR1 Signal #2 Phase: ZB MR2
Signal #1 Info : 30Mx0.32mmx 0.5µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#3 AR-1016-1


R.T.: 0.000 min
Exp R.T.: 4.858 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#3 AR-1016-1

R.T.: 4.043 min
Delta R.T.: -0.047 min
Response: 43421
Conc: 0.22 ng/ml




#4 AR-1016-2

R.T.: 0.000 min
Exp R.T.: 4.880 min
Response: 0
Conc: N.D.



#4 AR-1016-2


R.T.: 4.043 min
Delta R.T.: -0.066 min
Response: 43421
Conc: 0.15 ng/ml



#5 AR-1016-3


R.T.: 0.000 min
Exp R.T. : 4.944 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#5 AR-1016-3

R.T.: 4.233 min
Delta R.T.: -0.056 min
Response: 270589
Conc: 1.77 ng/ml




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.947 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 3.272 min
Delta R.T.: -0.008 min
Response: 1963493
Conc: 37.10 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 4.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#10 AR-1221-3

R.T.: 3.313 min
Delta R.T.: -0.044 min
Response: 107419
Conc: 0.64 ng/ml




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 4.026 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 3.313 min
Delta R.T.: -0.044 min
Response: 107419
Conc: 0.80 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 4.573 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#12 AR-1232-2

R.T.: 4.043 min
Delta R.T.: -0.066 min
Response: 43421
Conc: 0.33 ng/ml




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T.: 4.880 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 4.233 min
Delta R.T.: -0.056 min
Response: 270589
Conc: 3.93 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T.: 5.047 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#14 AR-1232-4

R.T.: 4.441 min
Delta R.T.: 0.059 min
Response: 1173469
Conc: 19.71 ng/ml




#16 AR-1242-1

R.T.: 0.000 min
Exp R.T.: 4.857 min
Response: 0
Conc: N.D.



#16 AR-1242-1


R.T.: 4.043 min
Delta R.T.: -0.047 min
Response: 43421
Conc: 0.26 ng/ml



#17 AR-1242-2


R.T.: 0.000 min
Exp R.T. : 4.879 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#17 AR-1242-2

R.T.: 4.043 min
Delta R.T.: -0.065 min
Response: 43421
Conc: 0.18 ng/ml




#18 AR-1242-3

R.T.: 0.000 min
Exp R.T. : 4.943 min
Response: 0
Conc: N.D.



#18 AR-1242-3


R.T.: 4.233 min
Delta R.T.: -0.056 min
Response: 270589
Conc: 2.12 ng/ml



#19 AR-1242-4


R.T.: 0.000 min
Exp R.T.: 5.046 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#19 AR-1242-4

R.T.: 4.441 min
Delta R.T.: 0.059 min
Response: 1173469
Conc: 9.69 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T.: 5.834 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 4.926 min
Delta R.T.: -0.006 min
Response: 7042259
Conc: 48.83 ng/ml



#21 AR-1248-1


R.T.: 0.000 min
Exp R.T.: 4.858 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#21 AR-1248-1

R.T.: 4.043 min
Delta R.T.: -0.047 min
Response: 43421
Conc: 0.35 ng/ml




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T.: 5.361 min
Response: 0
Conc: N.D.



#23 AR-1248-3


R.T.: 4.441 min
Delta R.T.: 0.060 min
Response: 1173469
Conc: 6.71 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 5.834 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#25 AR-1248-5

R.T.: 4.956 min
Delta R.T.: -0.018 min
Response: 3233064
Conc: 16.44 ng/ml




#26 AR-1254-1

R.T.: 0.000 min
Exp R.T.: 5.766 min
Response: 0
Conc: N.D.



#26 AR-1254-1


R.T.: 4.926 min
Delta R.T.: -0.005 min
Response: 7042259
Conc: 23.60 ng/ml



#27 AR-1254-2


R.T.: 0.000 min
Exp R.T. : 6.002 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#27 AR-1254-2

R.T.: 5.139 min
Delta R.T.: 0.048 min
Response: 8231122
Conc: 32.14 ng/ml




#28 AR-1254-3

R.T.: 0.000 min
Exp R.T. : 6.394 min
Response: 0
Conc: N.D.



#28 AR-1254-3


R.T.: 5.507 min
Delta R.T.: -0.008 min
Response: 6576100
Conc: 16.64 ng/ml



#29 AR-1254-4


R.T.: 0.000 min
Exp R.T.: 6.705 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#29 AR-1254-4

R.T.: 5.750 min
Delta R.T.: -0.013 min
Response: 1404768
Conc: 5.74 ng/ml




#31 AR-1260-1

R.T.: 0.000 min
Exp R.T.: 6.574 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 5.661 min
Delta R.T.: 0.004 min
Response: 8177622
Conc: 32.28 ng/ml



#32 AR-1260-2


R.T.: 0.000 min
Exp R.T.: 6.856 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#32 AR-1260-2

R.T.: 5.829 min
Delta R.T.: -0.034 min
Response: 2290808
Conc: 7.73 ng/ml




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T.: 7.247 min
Response: 0
Conc: N.D.



#33 AR-1260-3


R.T.: 6.032 min
Delta R.T.: 0.010 min
Response: 548396
Conc: 1.94 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 7.489 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#34 AR-1260-4

R.T.: 6.537 min
Delta R.T.: 0.007 min
Response: 2852548
Conc: 11.81 ng/ml




#35 AR-1260-5

R.T.: 0.000 min
Exp R.T.: 7.829 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 6.849 min
Delta R.T.: 0.053 min
Response: 1297044
Conc: 2.27 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T.: 7.247 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#36 AR-1262-1

R.T.: 6.317 min
Delta R.T.: 0.062 min
Response: 1168225
Conc: 3.28 ng/ml




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T.: 7.828 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 6.849 min
Delta R.T.: 0.052 min
Response: 1297044
Conc: 2.04 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.841 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#40 AR-1262-5

R.T.: 7.661 min
Delta R.T.: -0.047 min
Response: 88748
Conc: 0.41 ng/ml




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T.: 8.438 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 7.402 min
Delta R.T.: 0.008 min
Response: 440789
Conc: 0.77 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 8.843 min
Response: 0
Conc: N.D.

Instrument :
ECD_R
ClientSampleId :
BLK




#44 AR-1268-4

R.T.: 7.661 min
Delta R.T.: -0.048 min
Response: 88748
Conc: 0.36 ng/ml



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T.: 9.226 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 8.016 min
Delta R.T.: 0.011 min
Response: 987751
Conc: 0.54 ng/ml