

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR120818\
 Data File : PR034417.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Dec 2018 04:11
 Operator : SM\SJ
 Sample : J6291-04
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 SB-02-(10-11)-20181206

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 08 05:01:05 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR120718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Dec 07 02:02:36 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.433	3.520	30636340	68408678	16.972	18.580
2) SA Decachlor...	10.120	8.422	26530569	52516580	13.517	12.836

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR120818\
Data File : PR034417.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Dec 2018 04:11
Operator : SM\SJ
Sample : J6291-04
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
SB-02-(10-11)-20181206

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 08 05:01:05 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR120718.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Dec 07 02:02:36 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.433 min
Delta R.T.: 0.000 min
Response: 30636340
Conc: 16.97 ng/ml

Instrument :
ECD_R
ClientSampleId :
SB-02-(10-11)-20181206




#1 Tetrachloro-m-xylene

R.T.: 3.520 min
Delta R.T.: 0.000 min
Response: 68408678
Conc: 18.58 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.120 min
Delta R.T.: -0.004 min
Response: 26530569
Conc: 13.52 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.422 min
Delta R.T.: -0.004 min
Response: 52516580
Conc: 12.84 ng/ml