

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR122920\
 Data File : PR049158.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Dec 2020 14:01
 Operator : DD\AJ
 Sample : L5222-17
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 31363

Manual Integrations
 APPROVED

mohammad
 12/30/2020 12:16:37 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Dec 30 04:01:54 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR122820.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Dec 29 01:37:35 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.676	3.852	38430590	116.3E6	15.748	34.751m#
2) SA Decachlor...	10.557	8.898	57087243	180.9E6	23.247	21.149

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR122920\
Data File : PR049158.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Dec 2020 14:01
Operator : DD\AJ
Sample : L5222-17
Misc :
ALS Vial : 12 Sample Multiplier: 1



Instrument :
ECD_R
ClientSampleId :
31363


Manual Integrations
APPROVED

mohammad
12/30/2020 12:16:37 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Dec 30 04:01:54 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR122820.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Dec 29 01:37:35 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 4.676 min
Delta R.T.: 0.006 min
Response: 38430590
Conc: 15.75 ng/ml

Instrument :
ECD_R
ClientSampleId :
31363


Manual Integrations
APPROVED

mohammad
12/30/2020 12:16:37 PM




#1 Tetrachloro-m-xylene

R.T.: 3.852 min
Delta R.T.: -0.002 min
Response: 116309471
Conc: 34.75 ng/ml m



#2 Decachlorobiphenyl

R.T.: 10.557 min
Delta R.T.: -0.004 min
Response: 57087243
Conc: 23.25 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.898 min
Delta R.T.: -0.005 min
Response: 180927412
Conc: 21.15 ng/ml