

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR031919\
 Data File : PR036379.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Mar 2019 18:29
 Operator : SM\SJ
 Sample : K1687-11
 Misc :
 ALS Vial : 62 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 HR-05-031519-C

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 20 00:48:51 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR031519.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Mar 16 00:14:35 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.407	3.481	30735925	84751642	16.655	13.335
2) SA Decachlor...	10.062	8.347	22613489	60948374	15.484	10.680 #

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR031919\
Data File : PR036379.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Mar 2019 18:29
Operator : SM\SJ
Sample : K1687-11
Misc :
ALS Vial : 62 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
HR-05-031519-C

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 20 00:48:51 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR031519.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Mar 16 00:14:35 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.407 min
Delta R.T.: 0.002 min
Response: 30735925
Conc: 16.66 ng/ml

Instrument :
ECD_R
ClientSampleId :
HR-05-031519-C




#1 Tetrachloro-m-xylene

R.T.: 3.481 min
Delta R.T.: 0.003 min
Response: 84751642
Conc: 13.34 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.062 min
Delta R.T.: -0.005 min
Response: 22613489
Conc: 15.48 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.347 min
Delta R.T.: -0.003 min
Response: 60948374
Conc: 10.68 ng/ml