

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR070418\
 Data File : PR029850.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Jul 2018 00:55
 Operator : UA/SM
 Sample : J3774-09
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 SB-3(4-6)

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 02 03:35:00 2018
 Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_R\Method\PR062718.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Jun 23 08:41:26 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.568	3.715	333.1E6	610.2E6	14.473	12.908
2) SA Decachlor...	10.335	8.641	192.2E6	184.2E6	6.867	9.329 #

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR070418\
Data File : PR029850.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Jul 2018 00:55
Operator : UA/SM
Sample : J3774-09
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
ECD_R
ClientSampleId :
SB-3(4-6)

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 02 03:35:00 2018
Quant Method : \\TERASTORAGE\Terastorage\pestpcbsrv\HPCHEM1\ECD_R\Method\PR062718.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Jun 23 08:41:26 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.568 min
Delta R.T.: -0.005 min
Response: 333087479
Conc: 14.47 ng/ml

Instrument :
ECD_R
ClientSampleId :
SB-3(4-6)




#1 Tetrachloro-m-xylene

R.T.: 3.715 min
Delta R.T.: 0.001 min
Response: 610230766
Conc: 12.91 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.335 min
Delta R.T.: -0.015 min
Response: 192249995
Conc: 6.87 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.641 min
Delta R.T.: -0.017 min
Response: 184249714
Conc: 9.33 ng/ml