

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR103018\
 Data File : PR033392.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Oct 2018 11:19
 Operator : SM\SJ
 Sample : J5194-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_R
 ClientSampleId :
 HR-05-102618-A

Manual Integrations
 APPROVED

Sohil
 10/31/2018 3:14:18 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 31 02:04:06 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR102818.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon Oct 29 02:03:30 2018
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.776	3.740	335.8E6	757.4E6	19.363	11.586m#
2) SA Decachlor...	10.789	8.740	260.0E6	375.4E6	16.279m	9.868m#

Target Compounds

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_R\Data\PR103018\
Data File : PR033392.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Oct 2018 11:19
Operator : SM\SJ
Sample : J5194-07
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_R
ClientSampleId :
HR-05-102618-A


Manual Integrations
APPROVED

Sohil
10/31/2018 3:14:18 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 31 02:04:06 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_R\Method\PR102818.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon Oct 29 02:03:30 2018
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene

R.T.: 4.776 min
Delta R.T.: 0.017 min
Response: 335780342
Conc: 19.36 ng/ml

Instrument :
ECD_R
ClientSampleId :
HR-05-102618-A


Manual Integrations
APPROVED

Sohil
10/31/2018 3:14:18 PM




#1 Tetrachloro-m-xylene

R.T.: 3.740 min
Delta R.T.: 0.002 min
Response: 757418036
Conc: 11.59 ng/ml m



#2 Decachlorobiphenyl

R.T.: 10.789 min
Delta R.T.: 0.038 min
Response: 259978347
Conc: 16.28 ng/ml m



#2 Decachlorobiphenyl

R.T.: 8.740 min
Delta R.T.: 0.006 min
Response: 375368183
Conc: 9.87 ng/ml m