

Data Path : P:\HPCHEM1\ECD_E\Data\PE100417\
 Data File : PE016943.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 5 Oct 2017 17:30
 Operator : UA/AJ
 Sample : HSTDCCC750
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_E
 ClientSampleId :
 HSTDCCC750

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Oct 05 18:37:19 2017
 Quant Method : P:\HPCHEM1\ECD_E\Method\PE100417.M
 Quant Title : 8080.M
 QLast Update : Thu Oct 05 09:47:18 2017
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-35-HT Inferno Signal #2 Phase: ZB-XLB-HT Inferno
 Signal #1 Info : 30M x 0.25mm x 0.2 Signal #2 Info : 30M x 0.25mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	9.996	10.575	77490	103294	760.099	662.910
Target Compounds							
1) T	Dalapon	2.766	2.942	156274	121548	608.855	382.051 #
2) T	3,5-DICHL...	8.715	8.945	109786	186774	659.764	687.279
3) T	4-Nitroph...	9.060	9.802	141383	114838	1375.960	660.351 #
5) T	DICAMBA	10.101	10.728	334367	478077	742.372	732.914
8) T	DICHLORPROP	11.143	11.688	117113	143132	843.511	639.630
9) T	2,4-D	11.496	12.249	147983	236454	717.903	764.505
10) T	Pentachlo...	12.503	12.899	1222993	2062925	752.632	774.167
11) T	2,4,5-TP ...	12.630	13.105	583230	1062035	723.774	821.362
12) T	2,4,5-T	13.048	13.739	712981	1099994	791.172	752.529
13) T	2,4-DB	13.683	14.321	62548	150824	604.428	714.311
14) T	DINOSEB	13.829	14.152	545994	912610	775.865	731.698
15) T	Picloram	14.635	15.962	938894	1807821	786.274	830.047
16) T	DCPA	14.832	15.472	925508	1547071	813.950	767.080



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : P:\HPCHEM1\ECD_E\Data\PE100417\
Data File : PE016943.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 5 Oct 2017 17:30
Operator : UA/AJ
Sample : HSTDCCC750
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Oct 05 18:37:19 2017
Quant Method : P:\HPCHEM1\ECD_E\Method\PE100417.M
Quant Title : 8080.M
QLast Update : Thu Oct 05 09:47:18 2017
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-35-HT Inferno Signal #2 Phase: ZB-XLB-HT Inferno
Signal #1 Info : 30M x 0.25mm x0.2 Signal #2 Info : 30M x 0.25mm x 0.25µm






#1 Dalapon


R.T.: 2.766 min
Delta R.T.: -0.009 min
Response: 156274
Conc: 608.86 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#1 Dalapon

R.T.: 2.942 min
Delta R.T.: -0.012 min
Response: 121548
Conc: 382.05 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 8.715 min
Delta R.T.: -0.002 min
Response: 109786
Conc: 659.76 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 8.945 min
Delta R.T.: -0.009 min
Response: 186774
Conc: 687.28 ng/ml



#3 4-Nitrophenol


R.T.: 9.060 min
 Delta R.T.: -0.004 min
 Response: 141383
 Conc: 1375.96 ng/ml

Instrument :
 ECD_E
 ClientSampleId :
 HSTDCCC750




#3 4-Nitrophenol

R.T.: 9.802 min
 Delta R.T.: -0.010 min
 Response: 114838
 Conc: 660.35 ng/ml




#4 2,4-DCAA

R.T.: 9.996 min
 Delta R.T.: -0.005 min
 Response: 77490
 Conc: 760.10 ng/ml



#4 2,4-DCAA


R.T.: 10.575 min
 Delta R.T.: -0.011 min
 Response: 103294
 Conc: 662.91 ng/ml



#5 DICAMBA


R.T.: 10.101 min
Delta R.T.: -0.006 min
Response: 334367
Conc: 742.37 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#5 DICAMBA

R.T.: 10.728 min
Delta R.T.: -0.013 min
Response: 478077
Conc: 732.91 ng/ml




#8 DICHLORPROP

R.T.: 11.143 min
Delta R.T.: -0.008 min
Response: 117113
Conc: 843.51 ng/ml



#8 DICHLORPROP


R.T.: 11.688 min
Delta R.T.: -0.013 min
Response: 143132
Conc: 639.63 ng/ml



#9 2,4-D


R.T.: 11.496 min
Delta R.T.: -0.008 min
Response: 147983
Conc: 717.90 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#9 2,4-D

R.T.: 12.249 min
Delta R.T.: -0.013 min
Response: 236454
Conc: 764.50 ng/ml




#10 Pentachlorophenol

R.T.: 12.503 min
Delta R.T.: -0.009 min
Response: 1222993
Conc: 752.63 ng/ml



#10 Pentachlorophenol


R.T.: 12.899 min
Delta R.T.: -0.017 min
Response: 2062925
Conc: 774.17 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 12.630 min
Delta R.T.: -0.012 min
Response: 583230
Conc: 723.77 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#11 2,4,5-TP (SILVEX)

R.T.: 13.105 min
Delta R.T.: -0.017 min
Response: 1062035
Conc: 821.36 ng/ml




#12 2,4,5-T

R.T.: 13.048 min
Delta R.T.: -0.013 min
Response: 712981
Conc: 791.17 ng/ml



#12 2,4,5-T


R.T.: 13.739 min
Delta R.T.: -0.019 min
Response: 1099994
Conc: 752.53 ng/ml



#13 2,4-DB


R.T.: 13.683 min
Delta R.T.: -0.015 min
Response: 62548
Conc: 604.43 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#13 2,4-DB

R.T.: 14.321 min
Delta R.T.: -0.021 min
Response: 150824
Conc: 714.31 ng/ml




#14 DINOSEB

R.T.: 13.829 min
Delta R.T.: -0.015 min
Response: 545994
Conc: 775.87 ng/ml



#14 DINOSEB


R.T.: 14.152 min
Delta R.T.: -0.022 min
Response: 912610
Conc: 731.70 ng/ml



#15 Picloram


R.T.: 14.635 min
Delta R.T.: -0.019 min
Response: 938894
Conc: 786.27 ng/ml

Instrument :
ECD_E
ClientSampleId :
HSTDCCC750




#15 Picloram

R.T.: 15.962 min
Delta R.T.: -0.026 min
Response: 1807821
Conc: 830.05 ng/ml



#16 DCPA

R.T.: 14.832 min
Delta R.T.: -0.018 min
Response: 925508
Conc: 813.95 ng/ml



#16 DCPA

R.T.: 15.472 min
Delta R.T.: -0.024 min
Response: 1547071
Conc: 767.08 ng/ml