

Instrument :
FID_B
ClientSampleId :
SB-04-COMP

rteres

Area Percent Report

Manual Integrations
APPROVED

Ankita
1/16/2020 9:59:40 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB011520\
Data File : FB023424.D
Signal(s) : FID2B.CH
Acq On : 15 Jan 2020 15:39
Sample : L1123-08 100X
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 13 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB121919.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.667	4.603	4.801	PH	-2075	-322551	-2.97%	-0.460%
2	4.885	4.801	4.921	PV	-425	-111566	-1.03%	-0.159%
3	5.009	4.921	5.179	PV	2224	130111	1.20%	0.186%
4	5.184	5.179	5.219	PV	9	6	0.00%	0.000%
5	5.348	5.219	5.517	PV	1478	94641	0.87%	0.135%
6	5.523	5.517	5.558	VV	27	308	0.00%	0.000%
7	5.571	5.558	5.614	PV	17	350	0.00%	0.000%
8	5.622	5.614	5.642	VV	12	150	0.00%	0.000%
9	5.942	5.642	6.128	VV	12010	993479	9.14%	1.417%
10	6.204	6.128	6.482	VV	342	41309	0.38%	0.059%
11	6.721	6.482	6.796	PV	1240	105378	0.97%	0.150%
12	7.050	6.796	7.236	VV	43377	3841453	35.35%	5.479%
13	7.410	7.236	7.593	VV	128720	10868266	100.00%	15.502%
14	7.636	7.593	7.677	VV	4137	201064	1.85%	0.287%
15	7.742	7.677	7.972	VV	4600	438799	4.04%	0.626%
16	8.075	7.972	8.118	PV	351	18460	0.17%	0.026%
17	8.234	8.118	8.333	VV	2575	174351	1.60%	0.249%
18	8.552	8.333	8.680	VV	37412	4162125	38.30%	5.937%
19	8.792	8.680	8.937	VV	16838	1495893	13.76%	2.134%
20	9.167	8.937	9.268	VV	87343	6741887	62.03%	9.616%
21	9.373	9.268	9.550	VV	92590	7611382	70.03%	10.857%
22	9.754	9.550	9.937	VV	49715	4720959	43.44%	6.734%
23	10.038	9.937	10.085	VV	2241	127352	1.17%	0.182%
24	10.193	10.085	10.295	VV	9452	657783	6.05%	0.938%
25	10.480	10.295	10.590	VV	7935	906872	8.34%	1.294%
26	10.704	10.590	10.767	VV	13867	983344	9.05%	1.403%
27	10.798	10.767	10.881	VV	11142	594726	5.47%	0.848%
28	10.969	10.881	11.080	VV	12904	1034219	9.52%	1.475%
29	11.177	11.080	11.497	VV	18605	1792688	16.49%	2.557%
30	11.779	11.497	11.812	VV	19734	1686460	15.52%	2.405%
31	11.883	11.812	11.990	VV	31059	1943236	17.88%	2.772%
32	12.110	11.990	12.234	VV	26169	1795188	16.52%	2.561%
33	12.351	12.234	12.467	VV	16772	1149544	10.58%	1.640%
34	12.539	12.467	12.604	VV	1810	119986	1.10%	0.171%
35	12.750	12.604	12.910	VV	13517	1171011	10.77%	1.670%
36	13.037	12.910	13.077	VV	9813	662917	6.10%	0.946%

rteres									
37	13.143	13.077	13.229	VV	12153	866250	7.97%	1.236%	
38	13.322	13.229	13.452	VV	11448	1088494	10.02%	1.553%	
39	13.547	13.452	13.649	VV	14583	966630	8.89%	1.379%	
40	13.729	13.649	13.775	VV	6313	393293	3.62%	0.561%	
41	13.815	13.775	13.997	VV	6086	535834	4.93%	0.764%	
42	14.182	13.997	14.326	VV	42325	3695063	34.00%	5.270%	
43	14.434	14.326	14.503	VV	16333	1031721	9.49%	1.472%	
44	14.558	14.503	14.781	VV	10900	830777	7.64%	1.185%	
45	15.066	14.781	15.106	VV	6836	698045	6.42%	0.996%	
46	15.233	15.106	15.372	VV	13295	1149440	10.58%	1.640%	
47	15.480	15.372	15.636	VV	7744	784529	7.22%	1.119%	
48	15.694	15.636	15.756	VV	3326	193125	1.78%	0.275%	
49	15.809	15.756	15.873	VV	2938	155766	1.43%	0.222%	
50	15.970	15.873	16.114	VV	6619	491378	4.52%	0.701%	
51	16.418	16.114	16.604	VBA	11711	1396788	12.85%	1.992%	
Sum of corrected areas:						70108713			

Instrument :
FID_B
ClientSampleId :
SB-04-COMP

Manual Integrations
APPROVED

Ankita
1/16/2020 9:59:40 AM

FB121919.M Thu Jan 16 09:39:02 2020