

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB011720\
Data File : FB023447.D
Signal(s) : FID2B.CH
Acq On : 17 Jan 2020 9:35
Sample : BSF0117S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.684	4.528	4.818	PV	13468	951061	81.39%	14.134%
2	7.411	7.189	7.631	PV	12559	1047341	89.63%	15.565%
3	7.751	7.631	7.817	VV	6277	345559	29.57%	5.136%
4	7.885	7.817	8.127	VV	7726	408547	34.96%	6.072%
5	8.791	8.625	9.065	BV	8381	474295	40.59%	7.049%
6	10.623	10.512	10.761	VV	25218	1168467	100.00%	17.365%
7	13.062	12.922	13.124	PV	8416	369403	31.61%	5.490%
8	13.196	13.124	13.354	VV	15920	701956	60.07%	10.432%
9	13.923	13.710	14.033	BV	15222	678437	58.06%	10.083%
10	16.201	16.084	16.327	VV	13800	583719	49.96%	8.675%

Sum of corrected areas: 6728784

FB011620.M Mon Jan 20 08:47:44 2020