

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB011725\
Data File : FB031321.D
Signal(s) : FID2B.CH
Acq On : 17 Jan 2025 13:44
Sample : BSF0117S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.565	4.983	BV	13416	1013438	85.92%	14.614%
2	7.419	7.211	7.638	PV	13128	1156125	98.02%	16.672%
3	7.752	7.638	7.820	VV	6569	368403	31.23%	5.313%
4	7.891	7.820	8.080	VV	7710	425042	36.04%	6.129%
5	8.791	8.598	9.068	BV	8043	465347	39.45%	6.711%
6	10.619	10.485	10.953	BV	22545	1179491	100.00%	17.009%
7	13.055	12.912	13.116	BV	7256	342010	29.00%	4.932%
8	13.188	13.116	13.527	VV	14255	739068	62.66%	10.658%
9	13.916	13.527	14.276	VV	13515	705257	59.79%	10.170%
10	16.192	16.074	16.401	BBA	12162	540389	45.82%	7.793%

Sum of corrected areas: 6934568

FB011525.M Sat Jan 18 02:04:22 2025