

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB012120\
Data File : FB023464.D
Signal(s) : FID2B.CH
Acq On : 21 Jan 2020 10:48
Sample : BSF0121S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.684	4.517	4.818	BV	13596	959084	79.40%	13.913%
2	7.410	7.210	7.619	PV	12816	1067361	88.36%	15.484%
3	7.751	7.619	7.817	VV	6419	351119	29.07%	5.093%
4	7.885	7.817	8.082	VV	7875	412737	34.17%	5.987%
5	8.792	8.625	9.009	BV	8842	494138	40.91%	7.168%
6	10.623	10.507	10.966	VV	25867	1207934	100.00%	17.523%
7	13.063	12.900	13.125	BV	8643	377528	31.25%	5.477%
8	13.196	13.125	13.451	VV	16346	725929	60.10%	10.531%
9	13.924	13.781	14.039	PV	15763	699290	57.89%	10.144%
10	16.202	16.093	16.318	VV	14144	598399	49.54%	8.681%

Sum of corrected areas: 6893519

FB011620.M Wed Jan 22 10:10:37 2020