

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB012220\
Data File : FB023472.D
Signal(s) : FID2B.CH
Acq On : 22 Jan 2020 9:38
Sample : BSF0122S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.687	4.528	4.823	BV	12200	860587	76.86%	13.541%
2	7.412	7.219	7.598	PV	11424	950760	84.92%	14.960%
3	7.752	7.637	7.818	VV	5678	308608	27.56%	4.856%
4	7.886	7.818	8.030	VV	7273	378470	33.80%	5.955%
5	8.793	8.625	9.031	BV	8043	452001	40.37%	7.112%
6	10.624	10.508	11.002	VV	23881	1119639	100.00%	17.617%
7	13.063	12.942	13.125	PV	8146	356087	31.80%	5.603%
8	13.197	13.125	13.410	VV	15555	688333	61.48%	10.831%
9	13.924	13.684	14.044	PV	14975	666142	59.50%	10.481%
10	16.202	16.070	16.324	VV	13589	574815	51.34%	9.044%

Sum of corrected areas: 6355443

FB011620.M Thu Jan 23 08:25:22 2020