

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB012420\
Data File : FB023494.D
Signal(s) : FID2B.CH
Acq On : 24 Jan 2020 9:29
Sample : BSF0124S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.685	4.522	4.823	BV	13311	940681	78.29%	13.790%
2	7.411	7.213	7.624	PV	12673	1053847	87.71%	15.449%
3	7.752	7.624	7.818	VV	6283	342813	28.53%	5.026%
4	7.885	7.818	8.039	VV	7794	406731	33.85%	5.963%
5	8.792	8.625	8.972	BV	9022	502493	41.82%	7.366%
6	10.624	10.510	10.905	VV	25822	1201537	100.00%	17.614%
7	13.065	12.945	13.126	PV	8586	374911	31.20%	5.496%
8	13.197	13.126	13.429	VV	16220	716822	59.66%	10.508%
9	13.925	13.702	14.040	BV	15541	690946	57.51%	10.129%
10	16.203	16.068	16.402	VV	13924	590637	49.16%	8.659%

Sum of corrected areas: 6821418

FB011620.M Mon Jan 27 16:11:00 2020