

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB013023\  
Data File : FB029175.D  
Signal(s) : FID2B.CH  
Acq On : 30 Jan 2023 13:38  
Sample : BSF0130S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB011723.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.711       | 4.540        | 4.865      | PV       | 4432           | 341808       | 71.15%         | 11.708%       |
| 2         | 7.416       | 7.206        | 7.624      | PV       | 5286           | 446452       | 92.93%         | 15.292%       |
| 3         | 7.750       | 7.624        | 7.815      | VV       | 2068           | 112914       | 23.50%         | 3.868%        |
| 4         | 7.886       | 7.815        | 8.015      | VV       | 3205           | 163236       | 33.98%         | 5.591%        |
| 5         | 8.791       | 8.631        | 9.010      | BV       | 3470           | 191349       | 39.83%         | 6.554%        |
| 6         | 10.618      | 10.485       | 10.763     | BV       | 10575          | 480415       | 100.00%        | 16.456%       |
| 7         | 13.055      | 12.949       | 13.116     | VV       | 3705           | 161641       | 33.65%         | 5.537%        |
| 8         | 13.187      | 13.116       | 13.338     | VV       | 7408           | 325283       | 67.71%         | 11.142%       |
| 9         | 13.914      | 13.775       | 14.020     | BV       | 7544           | 332961       | 69.31%         | 11.405%       |
| 10        | 16.189      | 16.057       | 16.319     | PV       | 8716           | 363382       | 75.64%         | 12.447%       |

Sum of corrected areas: 2919440

FB011723.M Tue Jan 31 00:37:42 2023