

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB020422\
Data File : FB026605.D
Signal(s) : FID2B.CH
Acq On : 4 Feb 2022 10:53
Sample : BSF0204S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011022.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.533	4.854	BV	5435	414654	72.71%	12.634%
2	7.433	7.244	7.631	VV	5643	500178	87.71%	15.240%
3	7.747	7.631	7.816	VV	2937	159069	27.89%	4.847%
4	7.885	7.816	8.010	VV	3922	199907	35.05%	6.091%
5	8.789	8.632	8.928	PV	4210	230984	40.50%	7.038%
6	10.618	10.484	10.785	VV	12528	570269	100.00%	17.376%
7	13.055	12.940	13.116	VV	4051	176134	30.89%	5.367%
8	13.187	13.116	13.329	VV	7979	350705	61.50%	10.686%
9	13.914	13.769	14.044	BV	7689	339230	59.49%	10.336%
10	16.190	16.062	16.319	BBA	8134	340894	59.78%	10.387%

Sum of corrected areas: 3282024

FB011022.M Fri Feb 04 13:16:51 2022