

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB020620\
Data File : FB023637.D
Signal(s) : FID2B.CH
Acq On : 6 Feb 2020 13:16
Sample : BSF0206S1
Misc : 5.02g/5.00ml DI WATER
ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB020620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.534	4.828	PV	12947	917779	76.61%	13.843%
2	7.418	7.189	7.634	BV	12256	1023191	85.40%	15.432%
3	7.759	7.634	7.824	VV	6113	334510	27.92%	5.045%
4	7.892	7.824	8.135	VV	7791	411748	34.37%	6.210%
5	8.799	8.625	9.023	BV	7233	403912	33.71%	6.092%
6	10.631	10.526	10.946	VV	25663	1198053	100.00%	18.070%
7	13.071	12.948	13.133	PV	8466	370346	30.91%	5.586%
8	13.205	13.133	13.443	VV	16079	709866	59.25%	10.707%
9	13.932	13.638	14.043	BV	15212	675502	56.38%	10.188%
10	16.211	16.080	16.346	PV	13855	585211	48.85%	8.827%

Sum of corrected areas: 6630117

FB020620.M Fri Feb 07 08:30:15 2020