

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB020725\
Data File : FB031489.D
Signal(s) : FID2B.CH
Acq On : 7 Feb 2025 13:40
Sample : BSF0207S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 9 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB011525.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.571	4.925	PV	13606	1044212	82.65%	14.471%
2	7.425	7.212	7.643	BV	13057	1190667	94.25%	16.500%
3	7.754	7.643	7.823	VV	7000	397054	31.43%	5.502%
4	7.893	7.823	8.181	VV	8332	465426	36.84%	6.450%
5	8.793	8.645	9.013	PV	7625	439601	34.80%	6.092%
6	10.622	10.508	10.944	VV	23893	1263347	100.00%	17.507%
7	13.059	12.932	13.120	VV	7585	359761	28.48%	4.986%
8	13.193	13.120	13.441	VV	14958	773005	61.19%	10.712%
9	13.921	13.653	14.049	BV	14288	720551	57.04%	9.985%
10	16.196	16.077	16.322	PV	12792	562510	44.53%	7.795%

Sum of corrected areas: 7216133

FB011525.M Sat Feb 08 01:46:54 2025