

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB021120\
Data File : FB023657.D
Signal(s) : FID2B.CH
Acq On : 11 Feb 2020 14:03
Sample : BSF0211S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB020620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.528	4.823	BV	11546	819355	72.13%	13.464%
2	7.419	7.227	7.631	PV	10059	836954	73.68%	13.753%
3	7.758	7.631	7.823	VV	5122	279300	24.59%	4.590%
4	7.894	7.823	8.085	VV	7371	387176	34.08%	6.362%
5	8.800	8.674	9.040	VV	6924	388161	34.17%	6.379%
6	10.631	10.513	10.897	VV	24433	1135977	100.00%	18.667%
7	13.071	12.889	13.134	BV	8058	352820	31.06%	5.798%
8	13.205	13.134	13.384	VV	15314	675992	59.51%	11.108%
9	13.933	13.761	14.050	PV	14656	650054	57.22%	10.682%
10	16.211	16.096	16.327	PV	13256	559660	49.27%	9.197%

Sum of corrected areas: 6085449

FB020620.M Wed Feb 12 08:06:21 2020