

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB021424\
Data File : FB030563.D
Signal(s) : FID2B.CH
Acq On : 14 Feb 2024 10:28
Sample : BSF0214S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021324.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.704	4.528	4.848	PV	4700	357927	70.44%	11.903%
2	7.411	7.215	7.618	PV	5223	440019	86.59%	14.633%
3	7.743	7.618	7.806	VV	2142	116301	22.89%	3.868%
4	7.879	7.806	7.991	VV	3411	174410	34.32%	5.800%
5	8.783	8.622	8.912	PV	3683	201960	39.74%	6.716%
6	10.612	10.477	10.765	PV	11141	508156	100.00%	16.899%
7	13.049	12.943	13.110	PV	3845	167424	32.95%	5.568%
8	13.181	13.110	13.355	VV	7663	337031	66.32%	11.208%
9	13.908	13.748	14.015	PV	7621	338968	66.71%	11.272%
10	16.184	16.077	16.313	PV	8753	364902	71.81%	12.135%

Sum of corrected areas: 3007098

FB021324.M Wed Feb 14 23:32:47 2024