

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB021424\
Data File : FB030570.D
Signal(s) : FID2B.CH
Acq On : 14 Feb 2024 15:04
Sample : BSF0214S2
Misc : 5.02G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021324.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.493	4.848	PV	4845	371123	70.72%	12.314%
2	7.408	7.169	7.627	PV	5068	431176	82.16%	14.306%
3	7.745	7.627	7.809	VV	2327	127628	24.32%	4.235%
4	7.881	7.809	8.008	VV	3534	181106	34.51%	6.009%
5	8.784	8.626	8.977	BV	3571	197626	37.66%	6.557%
6	10.612	10.493	10.822	PV	11478	524771	100.00%	17.411%
7	13.049	12.893	13.111	BV	3867	168714	32.15%	5.598%
8	13.182	13.111	13.346	VV	7676	337884	64.39%	11.211%
9	13.909	13.592	14.018	PV	7466	333675	63.58%	11.071%
10	16.184	16.051	16.294	PV	8116	340247	64.84%	11.289%

Sum of corrected areas: 3013950

FB021324.M Wed Feb 14 23:36:03 2024