

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB021424\  
Data File : FB030581.D  
Signal(s) : FID2B.CH  
Acq On : 14 Feb 2024 22:11  
Sample : 20 PPB GRO STD  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 22 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB021324.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.701       | 4.550        | 4.844      | PV       | 5403           | 403972       | 65.03%         | 11.925%       |
| 2         | 7.409       | 7.170        | 7.629      | PV       | 5352           | 455033       | 73.25%         | 13.432%       |
| 3         | 7.741       | 7.629        | 7.807      | VV       | 2620           | 143819       | 23.15%         | 4.245%        |
| 4         | 7.878       | 7.807        | 8.011      | VV       | 4097           | 209008       | 33.65%         | 6.170%        |
| 5         | 8.782       | 8.657        | 8.921      | PV       | 4256           | 233039       | 37.51%         | 6.879%        |
| 6         | 10.610      | 10.492       | 10.900     | VV       | 13506          | 621196       | 100.00%        | 18.338%       |
| 7         | 13.048      | 12.901       | 13.108     | PV       | 4446           | 193671       | 31.18%         | 5.717%        |
| 8         | 13.180      | 13.108       | 13.341     | VV       | 8738           | 384039       | 61.82%         | 11.337%       |
| 9         | 13.907      | 13.731       | 14.017     | BV       | 8418           | 373816       | 60.18%         | 11.035%       |
| 10        | 16.182      | 16.077       | 16.369     | BV       | 8846           | 369967       | 59.56%         | 10.921%       |

Sum of corrected areas: 3387560

FB021324.M Wed Feb 14 23:39:06 2024