

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB021524\
Data File : FB030594.D
Signal(s) : FID2B.CH
Acq On : 15 Feb 2024 17:39
Sample : BSF0215S3
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 15 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021324.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.702	4.523	4.845	BV	4299	317369	62.17%	11.380%
2	7.412	7.226	7.616	VV	4439	373100	73.08%	13.379%
3	7.744	7.616	7.808	VV	2120	114756	22.48%	4.115%
4	7.881	7.808	8.025	VV	3385	173651	34.02%	6.227%
5	8.786	8.606	8.957	BV	3792	209112	40.96%	7.499%
6	10.613	10.495	10.763	VV	11168	510510	100.00%	18.306%
7	13.051	12.940	13.112	BV	3731	160771	31.49%	5.765%
8	13.183	13.112	13.333	VV	7279	319136	62.51%	11.444%
9	13.910	13.744	14.014	BV	6970	308147	60.36%	11.050%
10	16.186	16.052	16.302	PV	7238	302161	59.19%	10.835%

Sum of corrected areas: 2788713

FB021324.M Fri Feb 16 06:13:22 2024