

rteres

Instrument :

FID_B

ClientSampleId :

AU-05-021425MSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/18/2025
Supervised By :Ankita Jodhani 02/18/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB02172
Data File : FB031510.D
Signal(s) : FID2B.CH
Acq On : 17 Feb 2025 13:44
Sample : Q1372-01MSD 50X
Misc : 5.04G/5.00 ML ME0H
ALS Vial : 9 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021125.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.656	5.649	5.698	PV	15	262	0.02%	0.004%
2	5.706	5.698	5.748	VV	24	495	0.04%	0.008%
3	5.755	5.748	5.820	VV	28	804	0.06%	0.013%
4	5.832	5.820	5.921	VV	28	971	0.08%	0.015%
5	5.934	5.921	5.962	PV	12	148	0.01%	0.002%
6	5.972	5.962	6.035	VV	19	434	0.04%	0.007%
7	6.048	6.035	6.108	VV	33	669	0.05%	0.011%
8	6.143	6.108	6.156	PV	28	445	0.04%	0.007%
9	6.188	6.156	6.259	VV	38	1409	0.11%	0.022%
10	6.270	6.259	6.294	VV	40	418	0.03%	0.007%
11	6.313	6.294	6.321	VV	27	308	0.02%	0.005%
12	6.330	6.321	6.365	VV	37	710	0.06%	0.011%
13	6.374	6.365	6.444	VV	35	930	0.08%	0.015%
14	6.454	6.444	6.472	VV	21	245	0.02%	0.004%
15	6.484	6.472	6.503	VV	30	309	0.02%	0.005%
16	6.519	6.503	6.531	PV	31	209	0.02%	0.003%
17	6.550	6.531	6.561	PV	17	165	0.01%	0.003%
18	6.564	6.561	6.597	VV	19	200	0.02%	0.003%
19	6.612	6.597	6.636	VV	16	190	0.02%	0.003%
20	6.642	6.636	6.688	VV	8	216	0.02%	0.003%
21	6.699	6.688	6.720	VV	21	211	0.02%	0.003%
22	6.737	6.720	6.749	PV	30	277	0.02%	0.004%
23	6.757	6.749	6.816	VV	41	1178	0.09%	0.019%
24	6.917	6.906	6.933	VV	18	190	0.02%	0.003%
25	6.948	6.933	6.985	PV	16	333	0.03%	0.005%
26	6.997	6.985	7.008	VV	34	291	0.02%	0.005%
27	7.018	7.008	7.024	VV	31	220	0.02%	0.004%
28	7.034	7.024	7.053	VV	52	703	0.06%	0.011%
29	7.064	7.053	7.081	VV	61	671	0.05%	0.011%
30	7.089	7.081	7.108	VV	47	556	0.04%	0.009%
31	7.116	7.108	7.142	VV	36	472	0.04%	0.008%
32	7.147	7.142	7.179	VV	28	364	0.03%	0.006%
33	7.185	7.179	7.198	VV	23	161	0.01%	0.003%
34	7.425	7.198	7.645	PV	11922	1112680	89.74%	17.745%
35	7.753	7.645	7.820	VV	5483	314780	25.39%	5.020%
36	7.893	7.820	8.150	VV	7719	453549	36.58%	7.233%

37	8.164	8.150	8.323	VV	87	5675	0.46%	0.091%
38	8.340	8.323	8.430	VV	28	1205		
39	8.475	8.430	8.527	VV	52	2236		
40	8.545	8.527	8.619	VV	52	1393		
41	8.793	8.619	9.105	PV	7489	450462	36	
42	9.119	9.105	9.156	VV	53	1228		
43	9.175	9.156	9.258	VV	44	1195	0.10%	0.019%
44	9.281	9.258	9.296	PV	18	235	0.02%	0.004%
45	9.379	9.296	9.491	VV	60	4026	0.32%	0.064%
46	9.527	9.491	9.595	VV	35	1284	0.10%	0.020%
47	9.607	9.595	9.697	VV	34	567	0.05%	0.009%
48	9.938	9.697	10.081	PV	301	24664	1.99%	0.393%
49	10.101	10.081	10.149	VV	44	1305	0.11%	0.021%
50	10.165	10.149	10.184	VV	34	454	0.04%	0.007%
51	10.373	10.184	10.389	PV	167	10545	0.85%	0.168%
52	10.400	10.389	10.490	VV	169	7010	0.57%	0.112%
53	10.623	10.490	10.942	VV	22661	1239908	100.00%	19.774%
54	10.962	10.942	11.046	VV	75	2893	0.23%	0.046%
55	11.066	11.046	11.119	VV	34	1089	0.09%	0.017%
56	11.135	11.119	11.284	VV	24	1579	0.13%	0.025%
57	11.296	11.284	11.326	VV	34	386	0.03%	0.006%
58	11.481	11.326	11.596	PV	90	8262	0.67%	0.132%
59	11.617	11.596	11.658	VV	32	993	0.08%	0.016%
60	11.671	11.658	11.687	VV	32	468	0.04%	0.007%
61	11.745	11.687	11.785	VV	55	2177	0.18%	0.035%
62	11.863	11.785	11.973	VV	77	4854	0.39%	0.077%
63	11.986	11.973	12.001	VV	27	282	0.02%	0.004%
64	12.012	12.001	12.026	VV	25	320	0.03%	0.005%
65	12.047	12.026	12.062	VV	45	787	0.06%	0.013%
66	12.080	12.062	12.123	VV	50	1439	0.12%	0.023%
67	12.138	12.123	12.219	VV	37	1034	0.08%	0.016%
68	12.231	12.219	12.246	VV	12	170	0.01%	0.003%
69	12.251	12.246	12.268	VV	19	117	0.01%	0.002%
70	12.301	12.268	12.318	PV	21	436	0.04%	0.007%
71	12.351	12.318	12.429	VV	32	835	0.07%	0.013%
72	12.442	12.429	12.453	VV	13	141	0.01%	0.002%
73	12.548	12.453	12.568	VV	27	961	0.08%	0.015%
74	12.609	12.568	12.678	VV	26	1325	0.11%	0.021%
75	12.764	12.678	12.865	VV	150	8404	0.68%	0.134%
76	12.901	12.865	12.933	VV	48	1313	0.11%	0.021%
77	13.061	12.933	13.121	VV	7600	366039	29.52%	5.838%
78	13.194	13.121	13.458	VV	15037	804894	64.92%	12.836%
79	13.526	13.458	13.654	VV	104	5505	0.44%	0.088%
80	13.665	13.654	13.699	VV	29	578	0.05%	0.009%
81	13.741	13.699	13.774	VV	40	1256	0.10%	0.020%
82	13.923	13.774	14.080	VV	14681	762065	61.46%	12.153%
83	14.095	14.080	14.315	VV	369	26629	2.15%	0.425%
84	14.404	14.315	14.508	VV	84	6339	0.51%	0.101%
85	14.538	14.508	14.633	VV	56	1798	0.15%	0.029%
86	14.669	14.633	14.684	PV	17	369	0.03%	0.006%
87	14.704	14.684	14.735	VV	19	422	0.03%	0.007%
88	14.758	14.735	14.778	VV	23	270	0.02%	0.004%
89	14.853	14.778	14.894	PV	26	994	0.08%	0.016%

Instrument :

FID_B

ClientSampleId :

AU-05-021425MSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 02/18/2025
Supervised By :Ankita Jodhani 02/18/2025

90	14.911	14.894	14.928	VV	22	316
91	15.064	14.928	15.173	VV	338	18549
92	15.189	15.173	15.210	VV	69	1336
93	15.230	15.210	15.273	VV	66	2180
94	15.294	15.273	15.324	VV	78	1848
95	15.503	15.324	15.614	VV	189	17396
96	15.636	15.614	15.725	VV	59	1938
97	15.756	15.725	15.847	VV	35	1380
98	15.957	15.847	16.075	PV	138	7729
99	16.199	16.075	16.334	PV	12472	550754
Sum of corrected areas:						6270413

Instrument :
FID_B
ClientSampleId :
AU-05-021425MSD
0.03% 0.005%

Manual IntegrationsAPPROVED
Reviewed By :Yogesh Patel 02/18/2025
Supervised By :Ankita Jodhani 02/18/2025

FB021125.M Tue Feb 18 01:47:54 2025