

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB021919\
 Data File : FB019834.D
 Signal(s) : FID2B.CH
 Acq On : 19 Feb 2019 13:51
 Sample : K1527-02MSD
 Misc : 5.04g/5.00ml DI WATER
 ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB012919.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.895	4.632	5.030	BV	7409	523611	100.00%	14.343%
2	5.091	5.030	5.291	VV	843	53546	10.23%	1.467%
3	5.574	5.445	5.702	PV	1095	69342	13.24%	1.899%
4	7.068	6.892	7.156	PV	112	8864	1.69%	0.243%
5	7.655	7.301	7.883	BV	5499	447476	85.46%	12.257%
6	7.996	7.883	8.062	VV	2597	140830	26.90%	3.858%
7	8.133	8.062	8.425	VV	3668	193957	37.04%	5.313%
8	9.040	8.797	9.213	PV	3589	201648	38.51%	5.524%
9	9.649	9.530	9.773	BV	129	8442	1.61%	0.231%
10	10.191	10.058	10.335	VV	293	22942	4.38%	0.628%
11	10.642	10.499	10.763	BB	108	7904	1.51%	0.217%
12	10.888	10.769	11.148	BB	10827	498734	95.25%	13.662%
13	11.717	11.571	11.896	BB	201	16257	3.10%	0.445%
14	13.339	13.241	13.401	VV	4639	200340	38.26%	5.488%
15	13.472	13.401	13.650	VV	9452	420213	80.25%	11.511%
16	14.204	14.101	14.368	BV	9310	409915	78.29%	11.229%
17	15.360	15.219	15.417	PV	115	5473	1.05%	0.150%
18	15.790	15.676	15.865	VV	147	8426	1.61%	0.231%
19	16.490	16.327	16.639	BV	9809	412716	78.82%	11.305%
Sum of corrected areas:						3650637		

FB012919.M Wed Feb 20 00:37:11 2019