

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB022020\  
Data File : FB023693.D  
Signal(s) : FID2B.CH  
Acq On : 20 Feb 2020 11:16  
Sample : BSF0220S1  
Misc : 5.02g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB020620.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.685       | 4.517        | 4.817      | BV       | 12722          | 895703       | 74.98%         | 13.399%       |
| 2         | 7.410       | 7.202        | 7.607      | PV       | 12271          | 1023439      | 85.67%         | 15.309%       |
| 3         | 7.751       | 7.626        | 7.817      | VV       | 5983           | 327899       | 27.45%         | 4.905%        |
| 4         | 7.886       | 7.817        | 8.149      | VV       | 7750           | 410071       | 34.33%         | 6.134%        |
| 5         | 8.793       | 8.625        | 8.942      | BV       | 7375           | 411993       | 34.49%         | 6.163%        |
| 6         | 10.623      | 10.514       | 10.782     | VV       | 25745          | 1194625      | 100.00%        | 17.870%       |
| 7         | 13.064      | 12.870       | 13.125     | BV       | 8660           | 378671       | 31.70%         | 5.664%        |
| 8         | 13.197      | 13.125       | 13.362     | VV       | 16645          | 737806       | 61.76%         | 11.037%       |
| 9         | 13.925      | 13.813       | 14.036     | VV       | 15801          | 703356       | 58.88%         | 10.521%       |
| 10        | 16.203      | 16.087       | 16.332     | PV       | 14253          | 601529       | 50.35%         | 8.998%        |

Sum of corrected areas: 6685092

FB020620.M Fri Feb 21 08:05:56 2020