

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB022120\
Data File : FB023700.D
Signal(s) : FID2B.CH
Acq On : 21 Feb 2020 11:39
Sample : BSF0221S1
Misc : 5.01g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB020620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.682	4.522	4.814	BV	12096	850535	72.95%	13.203%
2	7.410	7.181	7.630	BV	11963	998330	85.63%	15.498%
3	7.750	7.630	7.815	VV	5771	314040	26.94%	4.875%
4	7.884	7.815	8.013	VV	7494	390531	33.50%	6.062%
5	8.791	8.625	8.946	BV	6328	351646	30.16%	5.459%
6	10.622	10.514	10.765	VV	25175	1165876	100.00%	18.099%
7	13.063	12.931	13.125	PV	8423	370149	31.75%	5.746%
8	13.196	13.125	13.348	VV	16009	709114	60.82%	11.008%
9	13.924	13.805	14.033	PV	15309	684169	58.68%	10.621%
10	16.202	16.068	16.313	PV	14335	607425	52.10%	9.429%

Sum of corrected areas: 6441814

FB020620.M Mon Feb 24 13:14:03 2020