

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB022222\
Data File : FB026641.D
Signal(s) : FID2B.CH
Acq On : 22 Feb 2022 13:57
Sample : BSF0222S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.712	4.533	4.862	BV	6303	488493	81.94%	13.400%
2	7.437	7.231	7.636	VV	6794	596135	100.00%	16.353%
3	7.749	7.636	7.817	VV	2978	160351	26.90%	4.399%
4	7.886	7.817	8.013	VV	4008	203701	34.17%	5.588%
5	8.791	8.619	8.948	PV	4196	230453	38.66%	6.322%
6	10.620	10.509	10.818	VV	12953	591383	99.20%	16.223%
7	13.057	12.947	13.118	BV	4346	188375	31.60%	5.168%
8	13.189	13.118	13.376	VV	8777	385112	64.60%	10.564%
9	13.916	13.649	14.044	PV	8806	388764	65.21%	10.665%
10	16.191	16.062	16.319	BBA	9815	412596	69.21%	11.318%

Sum of corrected areas: 3645362

FB021122.M Wed Feb 23 09:31:24 2022