

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB022321\  
Data File : FB025450.D  
Signal(s) : FID2B.CH  
Acq On : 23 Feb 2021 13:07  
Sample : M1458-02  
Misc : 5.00g/5.00ml DI WATER  
ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB021921.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.693       | 4.531        | 4.813      | BV       | 3539           | 250854       | 53.68%         | 11.798%       |
| 2         | 7.422       | 7.172        | 7.629      | BV       | 3292           | 273124       | 58.44%         | 12.846%       |
| 3         | 7.764       | 7.664        | 7.829      | VV       | 1623           | 86872        | 18.59%         | 4.086%        |
| 4         | 7.901       | 7.829        | 8.043      | VV       | 2071           | 107336       | 22.97%         | 5.048%        |
| 5         | 8.804       | 8.597        | 8.947      | BV       | 8417           | 467356       | 100.00%        | 21.981%       |
| 6         | 10.636      | 10.512       | 10.765     | BV       | 6746           | 307171       | 65.73%         | 14.447%       |
| 7         | 13.077      | 12.808       | 13.139     | BV       | 2227           | 99655        | 21.32%         | 4.687%        |
| 8         | 13.210      | 13.139       | 13.360     | VV       | 4402           | 194647       | 41.65%         | 9.155%        |
| 9         | 13.937      | 13.802       | 14.044     | BV       | 4211           | 185428       | 39.68%         | 8.721%        |
| 10        | 16.216      | 16.084       | 16.324     | BV       | 3637           | 153746       | 32.90%         | 7.231%        |

Sum of corrected areas: 2126189

FB021921.M Wed Feb 24 08:17:08 2021