

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB022425\
Data File : FB031522.D
Signal(s) : FID2B.CH
Acq On : 24 Feb 2025 14:28
Sample : BSF0224S2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021125.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.720	4.559	4.935	BV	13587	1008059	78.33%	13.830%
2	7.422	7.219	7.635	VV	13772	1217870	94.64%	16.708%
3	7.754	7.635	7.821	VV	6445	364140	28.30%	4.996%
4	7.893	7.821	8.156	VV	8339	469975	36.52%	6.448%
5	8.793	8.626	8.979	PV	6655	382544	29.73%	5.248%
6	10.621	10.500	11.061	VB	24134	1286871	100.00%	17.655%
7	13.058	12.848	13.119	BV	7932	375047	29.14%	5.145%
8	13.191	13.119	13.538	VB	15636	819844	63.71%	11.247%
9	13.920	13.614	14.053	BV	15202	773254	60.09%	10.608%
10	16.196	16.063	16.403	PBA	13356	591582	45.97%	8.116%

Sum of corrected areas: 7289185

FB021125.M Tue Feb 25 01:36:32 2025