

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB022620\
Data File : FB023727.D
Signal(s) : FID2B.CH
Acq On : 26 Feb 2020 10:54
Sample : BSF0226S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB020620.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.522	4.821	BV	12915	917246	75.65%	13.712%
2	7.418	7.164	7.615	PV	12569	1045737	86.25%	15.633%
3	7.757	7.629	7.823	VV	6052	329693	27.19%	4.929%
4	7.892	7.823	8.038	VV	7913	412687	34.04%	6.169%
5	8.799	8.625	9.101	BV	7561	425168	35.07%	6.356%
6	10.630	10.519	10.804	VV	26207	1212491	100.00%	18.126%
7	13.070	12.930	13.132	VV	8297	363001	29.94%	5.427%
8	13.203	13.132	13.449	VV	15823	701404	57.85%	10.485%
9	13.930	13.816	14.038	BV	15179	677277	55.86%	10.125%
10	16.209	16.084	16.361	VV	14268	604636	49.87%	9.039%

Sum of corrected areas: 6689342

FB020620.M Thu Feb 27 09:02:10 2020