

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB030320\  
Data File : FB023769.D  
Signal(s) : FID2B.CH  
Acq On : 3 Mar 2020 9:52  
Sample : BSF0303S1  
Misc : 5.00g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB020620.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.688       | 4.511        | 4.823      | BV       | 12611          | 899128       | 72.64%         | 13.138%       |
| 2         | 7.417       | 7.211        | 7.637      | PV       | 12667          | 1053251      | 85.09%         | 15.390%       |
| 3         | 7.757       | 7.637        | 7.823      | VV       | 6078           | 330822       | 26.73%         | 4.834%        |
| 4         | 7.891       | 7.823        | 8.036      | VV       | 7959           | 413667       | 33.42%         | 6.044%        |
| 5         | 8.798       | 8.625        | 8.977      | BV       | 8094           | 449865       | 36.34%         | 6.573%        |
| 6         | 10.630      | 10.518       | 10.938     | VV       | 26642          | 1237769      | 100.00%        | 18.086%       |
| 7         | 13.070      | 12.958       | 13.132     | VV       | 8837           | 386227       | 31.20%         | 5.643%        |
| 8         | 13.203      | 13.132       | 13.399     | VV       | 16857          | 745898       | 60.26%         | 10.899%       |
| 9         | 13.931      | 13.758       | 14.041     | BV       | 16150          | 715286       | 57.79%         | 10.452%       |
| 10        | 16.209      | 16.076       | 16.329     | VV       | 14637          | 611878       | 49.43%         | 8.941%        |

Sum of corrected areas: 6843790

FB020620.M Wed Mar 04 11:31:47 2020