

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB030321\
 Data File : FB025490.D
 Signal(s) : FID2B.CH
 Acq On : 3 Mar 2021 11:47
 Sample : M1537-01MS
 Misc : 5.08g/5.00ml DI WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB021921.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.691	4.503	4.829	BH	12937	926467	74.84%	13.905%
2	5.178	5.168	5.216	PH	-12	-488	-0.04%	-0.007%
3	5.540	5.530	5.599	PH	-21	-1160	-0.09%	-0.017%
4	5.615	5.599	5.630	PH	-21	-485	-0.04%	-0.007%
5	5.639	5.630	5.669	PH	-22	-679	-0.05%	-0.010%
6	5.687	5.669	5.733	PH	-26	-1177	-0.10%	-0.018%
7	5.743	5.733	5.773	PH	-30	-827	-0.07%	-0.012%
8	5.802	5.773	5.821	PH	-25	-967	-0.08%	-0.015%
9	5.867	5.821	5.953	PH	-28	-2582	-0.21%	-0.039%
10	5.965	5.953	6.006	PH	-32	-1154	-0.09%	-0.017%
11	6.079	6.006	6.092	PH	-29	-1685	-0.14%	-0.025%
12	6.181	6.092	6.262	PH	3	-1876	-0.15%	-0.028%
13	6.300	6.262	6.356	PH	-29	-1754	-0.14%	-0.026%
14	6.368	6.356	6.442	PH	-27	-1755	-0.14%	-0.026%
15	6.460	6.442	6.502	PH	-36	-1501	-0.12%	-0.023%
16	6.602	6.502	6.615	PH	-37	-2882	-0.23%	-0.043%
17	6.633	6.615	6.668	PH	-36	-1370	-0.11%	-0.021%
18	6.687	6.668	6.708	PH	-37	-976	-0.08%	-0.015%
19	6.724	6.708	6.749	PH	-29	-950	-0.08%	-0.014%
20	6.758	6.749	6.802	PH	-32	-1178	-0.10%	-0.018%
21	6.815	6.802	6.870	PH	-27	-1408	-0.11%	-0.021%
22	6.898	6.870	6.931	PH	-27	-1228	-0.10%	-0.018%
23	7.057	6.931	7.150	PH	-3	-2765	-0.22%	-0.041%
24	7.161	7.150	7.207	PH	-22	-995	-0.08%	-0.015%
25	7.420	7.207	7.633	PH	11553	959194	77.48%	14.396%
26	7.760	7.633	7.825	HH	5758	312365	25.23%	4.688%
27	7.896	7.825	8.164	HH	8420	443515	35.83%	6.656%
28	8.181	8.164	8.210	HH	32	698	0.06%	0.010%
29	8.226	8.210	8.238	HH	22	329	0.03%	0.005%
30	8.248	8.238	8.383	HH	24	1382	0.11%	0.021%
31	8.405	8.383	8.599	HH	14	-1416	-0.11%	-0.021%
32	8.802	8.599	9.070	PH	9073	499977	40.39%	7.504%
33	9.087	9.070	9.202	PH	-17	-2172	-0.18%	-0.033%
34	9.256	9.202	9.276	PH	-27	-1491	-0.12%	-0.022%
35	9.296	9.276	9.318	PH	-29	-841	-0.07%	-0.013%
36	9.334	9.318	9.348	PH	-27	-580	-0.05%	-0.009%

					rteres			
37	9.389	9.348	9.411	PH	-24	-1164	-0.09%	-0.017%
38	9.422	9.411	9.523	PH	-32	-2432	-0.20%	-0.037%
39	9.568	9.523	9.617	PH	-35	-2217	-0.18%	-0.033%
40	9.632	9.617	9.757	PH	-31	-3221	-0.26%	-0.048%
41	9.765	9.757	9.854	PH	-30	-2237	-0.18%	-0.034%
42	9.952	9.854	10.052	PH	-8	-2892	-0.23%	-0.043%
43	10.070	10.052	10.104	PH	-30	-1083	-0.09%	-0.016%
44	10.259	10.104	10.274	PH	-26	-3470	-0.28%	-0.052%
45	10.414	10.274	10.469	PH	6	-1284	-0.10%	-0.019%
46	10.634	10.469	10.961	PH	26953	1237995	100.00%	18.580%
47	10.976	10.961	11.125	PH	-25	-3194	-0.26%	-0.048%
48	11.144	11.125	11.169	PH	-27	-898	-0.07%	-0.013%
49	11.205	11.169	11.253	PH	-26	-1747	-0.14%	-0.026%
50	11.299	11.253	11.332	PH	-24	-1503	-0.12%	-0.023%
51	11.348	11.332	11.369	PH	-29	-786	-0.06%	-0.012%
52	11.434	11.369	11.518	PH	-11	-2174	-0.18%	-0.033%
53	11.537	11.518	11.605	PH	-27	-1711	-0.14%	-0.026%
54	11.622	11.605	11.643	PH	-29	-745	-0.06%	-0.011%
55	11.665	11.643	11.711	PH	-24	-1264	-0.10%	-0.019%
56	11.737	11.711	11.828	PH	-21	-1891	-0.15%	-0.028%
57	11.848	11.828	11.869	PH	-27	-731	-0.06%	-0.011%
58	11.907	11.869	11.988	PH	-20	-2150	-0.17%	-0.032%
59	12.003	11.988	12.038	PH	-25	-1012	-0.08%	-0.015%
60	12.057	12.038	12.104	PH	-29	-1365	-0.11%	-0.020%
61	12.121	12.104	12.184	PH	-26	-1660	-0.13%	-0.025%
62	12.296	12.184	12.313	PH	-23	-2651	-0.21%	-0.040%
63	12.330	12.313	12.380	PH	-27	-1379	-0.11%	-0.021%
64	12.405	12.380	12.457	PH	-29	-1713	-0.14%	-0.026%
65	12.481	12.457	12.505	PH	-34	-1114	-0.09%	-0.017%
66	12.521	12.505	12.603	PH	-35	-2236	-0.18%	-0.034%
67	12.672	12.603	12.688	PH	-30	-1848	-0.15%	-0.028%
68	12.768	12.688	12.860	PH	-22	-2870	-0.23%	-0.043%
69	13.074	12.860	13.135	PH	8509	367224	29.66%	5.511%
70	13.207	13.135	13.442	HH	16696	733922	59.28%	11.015%
71	13.452	13.442	13.513	PH	-21	-1127	-0.09%	-0.017%
72	13.531	13.513	13.553	PH	-19	-693	-0.06%	-0.010%
73	13.600	13.553	13.756	PH	-18	-3389	-0.27%	-0.051%
74	13.934	13.756	14.062	PH	16252	715340	57.78%	10.736%
75	14.134	14.062	14.317	HH	92	5455	0.44%	0.082%
76	14.332	14.317	14.345	PH	-26	-533	-0.04%	-0.008%
77	14.357	14.345	14.477	PH	-29	-2431	-0.20%	-0.036%
78	14.535	14.477	14.555	PH	-19	-1300	-0.11%	-0.020%
79	14.562	14.555	14.573	PH	-18	-241	-0.02%	-0.004%
80	14.586	14.573	14.711	PH	-15	-2874	-0.23%	-0.043%
81	14.720	14.711	14.743	PH	-36	-792	-0.06%	-0.012%
82	14.774	14.743	14.801	PH	-37	-1419	-0.11%	-0.021%
83	14.818	14.801	14.829	PH	-33	-695	-0.06%	-0.010%
84	14.841	14.829	14.856	PH	-36	-627	-0.05%	-0.009%
85	14.871	14.856	14.909	PH	-36	-1277	-0.10%	-0.019%
86	14.932	14.909	15.032	PH	-33	-2676	-0.22%	-0.040%
87	15.092	15.032	15.173	PH	-23	-2728	-0.22%	-0.041%
88	15.190	15.173	15.203	PH	-31	-685	-0.06%	-0.010%
89	15.252	15.203	15.288	PH	-28	-1723	-0.14%	-0.026%

					rteres			
90	15.306	15.288	15.320	PH	-36	-738	-0.06%	-0.011%
91	15.353	15.320	15.365	PH	-35	-1062	-0.09%	-0.016%
92	15.528	15.365	15.604	PH	40	-1702	-0.14%	-0.026%
93	15.620	15.604	15.657	PH	-37	-1274	-0.10%	-0.019%
94	15.744	15.657	15.766	PH	-23	-2196	-0.18%	-0.033%
95	15.787	15.766	15.812	PH	-31	-937	-0.08%	-0.014%
96	15.847	15.812	15.882	PH	-31	-1510	-0.12%	-0.023%
97	15.979	15.882	16.089	PH	69	1052	0.08%	0.016%
98	16.213	16.089	16.335	PH	14062	587781	47.48%	8.822%
99	16.354	16.335	16.370	PH	-2	-109	-0.01%	-0.002%
100	16.457	16.370	16.573	PH	23	5	0.00%	0.000%

Sum of corrected areas: 6662976

FB021921.M Thu Mar 04 00:09:19 2021