

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB030325\  
Data File : FB031533.D  
Signal(s) : FID2B.CH  
Acq On : 3 Mar 2025 16:43  
Sample : BSF0303S2  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB021125.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.717       | 4.571        | 4.971      | BV       | 8197           | 603153       | 60.70%         | 10.778%       |
| 2         | 7.421       | 7.216        | 7.633      | PV       | 9224           | 834820       | 84.01%         | 14.917%       |
| 3         | 7.752       | 7.633        | 7.819      | VV       | 4501           | 257844       | 25.95%         | 4.607%        |
| 4         | 7.890       | 7.819        | 8.122      | VV       | 6172           | 345829       | 34.80%         | 6.180%        |
| 5         | 8.790       | 8.630        | 9.132      | PV       | 8367           | 493564       | 49.67%         | 8.819%        |
| 6         | 10.619      | 10.468       | 10.981     | BV       | 18552          | 993704       | 100.00%        | 17.756%       |
| 7         | 13.056      | 12.926       | 13.117     | BV       | 6218           | 295228       | 29.71%         | 5.275%        |
| 8         | 13.190      | 13.117       | 13.388     | VV       | 12353          | 647546       | 65.16%         | 11.571%       |
| 9         | 13.918      | 13.734       | 14.254     | VV       | 12218          | 637911       | 64.20%         | 11.399%       |
| 10        | 16.194      | 16.052       | 16.358     | PV       | 10967          | 486780       | 48.99%         | 8.698%        |

Sum of corrected areas: 5596379

FB021125.M Tue Mar 04 01:05:04 2025