

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB030419\  
Data File : FB020037.D  
Signal(s) : FID2B.CH  
Acq On : 4 Mar 2019 15:41  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB030119.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.899       | 4.665        | 5.034      | BV       | 8305           | 592612       | 100.00%        | 15.155%       |
| 2         | 7.657       | 7.440        | 7.860      | BV       | 7171           | 583481       | 98.46%         | 14.922%       |
| 3         | 7.998       | 7.860        | 8.067      | VV       | 3317           | 178731       | 30.16%         | 4.571%        |
| 4         | 8.135       | 8.067        | 8.278      | VV       | 3857           | 199312       | 33.63%         | 5.097%        |
| 5         | 9.043       | 8.618        | 9.258      | BV       | 3924           | 225952       | 38.13%         | 5.778%        |
| 6         | 10.890      | 10.683       | 11.198     | VV       | 11799          | 551310       | 93.03%         | 14.099%       |
| 7         | 13.342      | 13.197       | 13.405     | PV       | 5004           | 220381       | 37.19%         | 5.636%        |
| 8         | 13.475      | 13.405       | 13.672     | VV       | 10216          | 456737       | 77.07%         | 11.680%       |
| 9         | 14.207      | 14.101       | 14.341     | BV       | 10096          | 446426       | 75.33%         | 11.417%       |
| 10        | 16.493      | 16.369       | 16.650     | BV       | 10850          | 455386       | 76.84%         | 11.646%       |

Sum of corrected areas: 3910327

FB030119.M Tue Mar 05 04:05:03 2019