

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB030620\  
Data File : FB023802.D  
Signal(s) : FID2B.CH  
Acq On : 6 Mar 2020 11:14  
Sample : BSF0306S1  
Misc : 5.00g/5.00ml DI WATER  
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB030520.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.689       | 4.517        | 4.823      | BV       | 13708          | 967719       | 75.67%         | 13.736%       |
| 2         | 7.417       | 7.226        | 7.631      | VV       | 13136          | 1096318      | 85.73%         | 15.561%       |
| 3         | 7.757       | 7.631        | 7.824      | VV       | 6555           | 360350       | 28.18%         | 5.115%        |
| 4         | 7.891       | 7.824        | 8.097      | VV       | 8142           | 428469       | 33.51%         | 6.082%        |
| 5         | 8.798       | 8.625        | 8.967      | BV       | 7629           | 427913       | 33.46%         | 6.074%        |
| 6         | 10.630      | 10.509       | 10.996     | VV       | 27021          | 1278820      | 100.00%        | 18.152%       |
| 7         | 13.071      | 12.898       | 13.133     | PV       | 8907           | 390936       | 30.57%         | 5.549%        |
| 8         | 13.203      | 13.133       | 13.412     | VV       | 16934          | 750117       | 58.66%         | 10.647%       |
| 9         | 13.931      | 13.772       | 14.041     | PV       | 16121          | 716159       | 56.00%         | 10.165%       |
| 10        | 16.210      | 16.091       | 16.324     | VV       | 14900          | 628373       | 49.14%         | 8.919%        |

Sum of corrected areas: 7045175

FB030520.M Mon Mar 09 11:13:53 2020