

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB030821\  
Data File : FB025511.D  
Signal(s) : FID2B.CH  
Acq On : 8 Mar 2021 17:49  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 19 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB021921.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.689       | 4.511        | 4.825      | BV       | 11702          | 834710       | 70.34%         | 12.695%       |
| 2         | 7.418       | 7.203        | 7.631      | BV       | 11042          | 917875       | 77.35%         | 13.960%       |
| 3         | 7.758       | 7.631        | 7.823      | VV       | 5490           | 297304       | 25.05%         | 4.522%        |
| 4         | 7.893       | 7.823        | 8.035      | VB       | 7976           | 414059       | 34.89%         | 6.297%        |
| 5         | 8.800       | 8.645        | 8.990      | BB       | 8418           | 467961       | 39.44%         | 7.117%        |
| 6         | 10.632      | 10.470       | 10.829     | BB       | 25883          | 1186638      | 100.00%        | 18.047%       |
| 7         | 13.072      | 12.923       | 13.133     | BV       | 8553           | 373225       | 31.45%         | 5.676%        |
| 8         | 13.205      | 13.133       | 13.376     | VB       | 16754          | 740101       | 62.37%         | 11.256%       |
| 9         | 13.932      | 13.758       | 14.058     | BV       | 16326          | 718077       | 60.51%         | 10.921%       |
| 10        | 16.211      | 15.881       | 16.338     | BB       | 14820          | 625271       | 52.69%         | 9.510%        |

Sum of corrected areas: 6575223

FB021921.M Tue Mar 09 02:12:01 2021