

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB031022\  
Data File : FB026675.D  
Signal(s) : FID2B.CH  
Acq On : 10 Mar 2022 16:30  
Sample : N1645-03  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB030822.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.697       | 4.583        | 4.823      | M        | 247            | 16698        | 8.93%          | 5.213%        |
| 2         | 7.424       | 7.256        | 7.573      | M        | 264            | 23245        | 12.43%         | 7.258%        |
| 3         | 7.751       | 7.684        | 7.815      | VV       | 114            | 4776         | 2.55%          | 1.491%        |
| 4         | 7.888       | 7.831        | 7.942      | VV       | 135            | 5204         | 2.78%          | 1.625%        |
| 5         | 8.790       | 8.655        | 8.914      | PV       | 3409           | 187046       | 100.00%        | 58.399%       |
| 6         | 10.622      | 10.513       | 10.726     | PV       | 519            | 23203        | 12.40%         | 7.244%        |
| 7         | 13.056      | 12.974       | 13.114     | PV       | 178            | 7881         | 4.21%          | 2.460%        |
| 8         | 13.191      | 13.114       | 13.281     | VV       | 360            | 15911        | 8.51%          | 4.968%        |
| 9         | 13.914      | 13.814       | 13.989     | VV       | 376            | 17765        | 9.50%          | 5.547%        |
| 10        | 16.185      | 16.121       | 16.304     | VV       | 426            | 18561        | 9.92%          | 5.795%        |

Sum of corrected areas: 320291

FB030822.M Fri Mar 11 10:03:36 2022