

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB031022\
Data File : FB026680.D
Signal(s) : FID2B.CH
Acq On : 10 Mar 2022 20:18
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 16 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB030822.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.511	4.859	BV	6946	537481	86.49%	14.870%
2	7.432	7.214	7.630	PV	6486	577387	92.91%	15.974%
3	7.747	7.630	7.814	VV	3578	193234	31.09%	5.346%
4	7.884	7.814	8.024	VV	4412	223767	36.01%	6.191%
5	8.788	8.628	8.951	PV	2902	160986	25.90%	4.454%
6	10.616	10.474	10.737	PV	13676	621455	100.00%	17.193%
7	13.053	12.885	13.114	VV	4379	190815	30.70%	5.279%
8	13.186	13.114	13.396	VV	8583	377951	60.82%	10.456%
9	13.913	13.496	14.022	BV	8319	369035	59.38%	10.210%
10	16.188	16.062	16.319	BBA	8669	362511	58.33%	10.029%

Sum of corrected areas: 3614623

FB030822.M Fri Mar 11 10:05:08 2022