

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB031119\  
Data File : FB020147.D  
Signal(s) : FID2B.CH  
Acq On : 12 Mar 2019 00:41  
Sample : 20 PPB GRO STD  
Misc : 5.01g/5.00ml DI WATER  
ALS Vial : 27 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB031119.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.898       | 4.712        | 5.036      | PV       | 13675          | 986197       | 97.41%         | 17.579%       |
| 2         | 7.659       | 7.473        | 7.863      | PV       | 10797          | 896298       | 88.53%         | 15.976%       |
| 3         | 7.993       | 7.863        | 8.063      | VV       | 7291           | 394117       | 38.93%         | 7.025%        |
| 4         | 8.131       | 8.063        | 8.356      | VV       | 8511           | 437805       | 43.24%         | 7.804%        |
| 5         | 9.038       | 8.770        | 9.227      | PV       | 8966           | 490704       | 48.47%         | 8.747%        |
| 6         | 10.885      | 10.783       | 11.251     | VV       | 22093          | 1012423      | 100.00%        | 18.046%       |
| 7         | 13.338      | 13.173       | 13.400     | PV       | 4881           | 212791       | 21.02%         | 3.793%        |
| 8         | 13.471      | 13.400       | 13.641     | VV       | 9159           | 403547       | 39.86%         | 7.193%        |
| 9         | 14.203      | 14.101       | 14.315     | BV       | 8681           | 384161       | 37.94%         | 6.848%        |
| 10        | 16.489      | 16.355       | 16.606     | BV       | 9384           | 392136       | 38.73%         | 6.990%        |

Sum of corrected areas: 5610179

FB031119.M Tue Mar 12 09:44:16 2019